



The article is no longer in our assortment.

Features:

FUTURELIGHT AKKU MBT-3 Spot

Bright LED architectural spot with IR remote control and rechargeable battery

- Equipped with 3 x 10 W QCL LED in red, green, blue and white
- With integrated wireless receiver for WDMX operation (Wireless Solution - made in Sweden)
- UpLight for fan effects on walls; e.g. on fairs and exhibitions, galas, events, shows, in clubs etc.
- For mobile applications - cordless, flexible and versatile
- 4, 6, 9 or 12 DMX channels selectable
- TILT angle manually adjustable
- Operation via mains connection or built-in rechargeable lithium-ion battery with up to 8 hours operating time
- Integrated automatic charging of the battery with indicator
- Controllable via EUROLITE IR-7 remote control; included in delivery
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Functions: static colors, stepless RGBW color mixture, color presets, preset color temperatures, internal programs, dimmer, strobe effect with variable speed, sound-control
- Dimmer speed (step response) adjustable
- Adjustable microphone sensitivity
- Adjustable white balance
- Power supply input and output and DMX input and output oppositely attached to the unit for easier wiring
- Addressing via control panel with OLED display
- Flat housing form requires minimal space when rigging
- Switch-mode power supply for operation between 100 and 240 Volts
- Ready for connection via included power cable with safety power plug
- Feed-through output allows to power up to 8 devices
- DMX control via any standard DMX controller

Logistic

- Flicker-free
device
 - Cordless, flexible and versatile
 - Battery operation up to 8h depending on program used
- Package contents**
- 1 x device

EXPAND Cover FUTURELIGHT Akku MBT-3

Textile cover for lighting effect

- Permanent flame retardant equipment according to DIN 4102-1 (B1) qualifies this cover for event and fair installation
- Best suited for reproducing light projections
- Extremely stretchable cloth

Technical specifications:

Weight:	3,43 kg
---------	---------

FUTURELIGHT AKKU MBT-3 Spot

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	45,00 W
Projection:	Flicker-free
Dimensions:	Width: 27,4 cm Depth: 8 cm Height: 21,3 cm
Device	
Battery pack type:	1 x lithium ion 14,8 V, 6600 mAh, 97,68 Wh
Battery pack:	Battery operation up to 8h depending on program used Recharging time 4,5h
Remote control	
Battery:	1 x button cell 3.0 V CR2025 lithium manganese built-in
DMX channels:	4/6/9/12
DMX connection:	3-pin XLR
Wireless signal transmission:	2.4 GHz (ISM)
Sound-control:	via built-in microphone
LED type:	10 W QCL
LED number:	3
Dimensions (L x W x H):	274 x 80 x 213 mm
Weight:	3.2 kg
Battery pack type:	Li-ion 14.8 V, 6600 mAh (97,68 Wh)
Battery operation:	8 hours
Recharging time:	4.5 hours
Remote control:	
Legal specifications	

Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EXPAND Cover FUTURELIGHT Akku MBT-3

Housing color:	White
----------------	-------