

EUROLITE Set 4x AKKU Flat Light 3 sil + Case

4x flat spotlight with 3 x 8 W RGBW LED including PRO flightcase

Art. No.: 20000471

GTIN:



List price: 1307.81 €

incl. 19% VAT.

Features:

EUROLITE AKKU Flat Light 3 sil

Flat spotlight with 3 x 8 W RGBW LED, QuickDMX transceiver and bracket

- With QuickDMX transceiver - cordless, flexible and versatile
- 3 high-power 8 W RGBW LEDs (4in1)
- Compact and bright
- Elegant housing for indoor use
- With integrated QuickDMX transmitter/receiver for the wireless transmission of DMX512 signals
- Operation via built-in rechargeable lithium-ion battery with up to 16 hours operating time
- Integrated automatic charging of the battery with indicator
- Functions: static colors, stepless RGBW color mixture, internal programs, dimmer, strobe effect with variable speed
- Dimmer speed (step response) adjustable
- Addressing and setting via Control Board with touch buttons and LCD
- Hanging as well as standing installation possible
- Inclination angle manually adjustable via the bracket
- Charger included in delivery
- Switch-mode power supply for operation between 100 and 240 volts
- DMX512 control via any standard DMX controller and suitable wireless transmitter
- Available in silver or in black
- LED: 3 x high-power 8 W 4in1 QCL RGBW (homogenous color mix)
- Can be operated in 3; 4; 6; 8; 10 CH mode
- The device is cooled by passive convection
- Controlling by Stand-alone; QuickDMX built-in; Sound to light via Microphone; IR remote control
- Is in Light J Software; EASY SHOW; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE already preprogrammed
- Flicker-free projection

Logistic

- Effect: Strobe effect
- With a KENSINGTON LOCK theft protection
- For application areas such as: Small lender; Wedding/gala

ROADINGER Flightcase 4x AKKU Flat Light Series

PRO flightcase for 4 x AKKU Flat Light 1/3

- Suitable for four EUROLITE AKKU Flat Light 1 (41700001, 41700011, 41700050) or for four EUROLITE AKKU Flat Light 3 (41700015, 41700016)
- Interior and cover upholstered with foam
- High-quality workmanship with multiplex birch wood, dark brown laminated
- Aluminum profile frames with rounded edges
- Three-leg steel ball corners
- Butterfly lock
- Case handle
- Made in Europe

Technical specifications:

Weight: 11,08 kg

EUROLITE AKKU Flat Light 3 sil

Power supply:	100-240 V AC, 50/60 Hz 12,6 V DC 2,5 A
IP classification:	IP20
Protection class:	Class III
Power connection:	Battery/battery pack Mains input Coaxial power connector (M) Power supply cord with Euro plug (provided)
Battery pack type:	1 x lithium ion 11,1 V, 5200 mAh, 57,72 Wh
Battery pack:	Battery operation up to 16h depending on program used Recharging time 4h
Lamp type:	LED lamp
LED:	3 x high-power 8 W 4in1 QCL RGBW (homogenous color mix)
DMX channels:	3; 4; 6; 8; 10
Cooling:	Passive convection
Control:	Stand-alone; QuickDMX built-in; Sound to light via Microphone; IR remote control; Light J Software; EASY SHOW; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE
Beam angle:	12°
Beam angle (1/2 peak):	12°
Beam angle (1/10 peak):	30°
Housing color:	Silver
Carrier frequency:	2,4 GHz
Theft protection:	KENSINGTON LOCK

Dimensions:	Width: 16,8 cm Depth: 13,8 cm Height: 6,2 cm
Weight:	1,62 kg
Noise classification:	Class 0 (no noise at all)
Remote control	
Battery:	1 x Button cell 3.0 V CR2032 lithium manganese built-in
Legal specifications	
Special product:	Not designed for household room illumination
intended use:	show effect lighting

ROADINGER Flightcase 4x AKKU Flat Light Series

Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Compartment dimensions:	7 cm x 18 cm x 15 cm
Accessory compartment:	6,5 cm x 38 cm x 15 cm
Inside dimensions:	38 cm x 27 cm x 15 cm
Dimensions:	Width: 42 cm Depth: 31 cm Height: 20 cm
Weight:	4,60 kg