# eurolite®

## EUROLITE Set LED Mini FE-5 + LED PIX-144 + B-80 + N-19 + Fluid

**Art. No.: 20000497**
GTIN:

# The article is no longer in our assortment.

## Features:

### EUROLITE LED Mini FE-5 Laser Goboflower

Small party lighting effect with LED flower, RG laser (2M) and strobe

- Small light effect adds fun to any party
- LED flower effect with 5 bright 3 W LEDs (R, G, B, A and W) projects bright colors in your room
- 5 x 1 W LED (R, G, B, A and W) for fast, dynamic strobe and wash effects
- 2 laser diodes project thousands of red and green laser beams
- Laser class 2M: does not require additional protective measures or appointment of a laser safety officer
- LED flower, laser and strobe can be controlled individually
- 4 built-in auto and music show programs
- Convenient wireless control via included IR remote control EUROLITE IR-28
- Sound-control via built-in microphone with adjustable microphone sensitivity
- Swivel mounting bracket
- 5 powerful LEDs 1 W high-power R/G/B/W/A (homogenous color mix)
- 5 powerful LEDs 3 W high-power R/G/B/W/A
- Gobos
- Flower effect; laser
- Laser class 2M <BR> does not require additional protective measures or appointment of a laser safety officer
- Control via stand-alone; IR remote control; sound to light via microphone
  **Package contents**
- 1 x remote control

### EUROLITE LED PIX-144 RGB Bar

Bar (100 cm) with 144 wide beam SMD LEDs (RGB), 8 segments

## Logistic

- 144 powerful LEDs SMD 5050 3in1 TCL RGB (homogenous color mix)<BR>8 segments controlled separately
- Dimmer electronic; color blend stepless; color change adjustable; colors preset
- Strobe effect
- The device is cooled by passive convection cooling
- Control via DMX; sound to light via microphone
- Preprogrammed in Light´J; LED PC-Control 512; Light Captain; Colorchief
- Flicker-free
- With mounting bracket
- 4 digit 7-segment LED display
- Mains input and output for power linking up to 8 units
- For application areas such as: Clubs/dancing school; party room; restaurants, bars and hotels; mobile djs / entertainer
- Silent operation
- Application possibility: Suspended; wall mounting
  **knurled screw**
- M8 thread
  **Package contents**
- 1 x light effect, 1 x power cord, 2 x mounting bracket, 2 x knurled screw, 2 x washer, 1 x user manual

## EUROLITE B-80 Bubble Machine

Small and compact bubble machine

- Great design
- Easy cleaning and easy transport
- Filling up with bubble fluid is no problem
- Countless application possibilities: during carnival, at birthday parties, etc.
- Delivery includes power unit
- Flame-resistant plastic housing
- Simply fill in fluid - ready!
- Control via on/off switch on device

## EUROLITE Bubble Fluid 1l

Bubble fluid for all machines

- Practical 1-liter bottle
- Ideal for all kinds of soap bubbles
- Bubble fluid ready for use
- Made in Germany

## EUROLITE N-19 Fog Machine silver

700 watt fogger with remote control

- Quality thermostat
- Output distance: Approx. 2,5 m
- With level indication
- Operates on water-based fluid
- Control via wired remote control
- With mounting bracket
- For application areas such as: Clubs/dancing school; party room; mobile djs / entertainer; small rental
- Application possibility: Standing; suspended
  **Package contents**
- 1 x device, 1 x user manual, 1 x mounting bracket, 2 x knurled screw, 2 x washer

## EUROLITE SMOKE FLUID -P2D- Professional, 1l smoke fluid

Long-lasting fog effect with high density

- Odorless
- Glycerine- and DEG-free composition
- Non-toxic
- Not harmful to health
- Biodegradable according to OECD 301E/EEC 84/449 C3

- Non-flammable, no transport restrictions, no hazardous material
- Permanent quality control
- Proven quality
- Water-based fluid ready for use
- Made in Germany
- For application areas such as: Wedding/gala/events; small rental; clubs/dancing school; stage

## Technical specifications:

| | |
|---|---|
| Weight: | 10,02 kg |

### EUROLITE LED Mini FE-5 Laser Goboflower

| | |
|---|---|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Power consumption: | 26 W |
| IP classification: | IP20 |
| Power connection: | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) |
| Lamp type: | LED lamp |
| LED type: | 5 x 1 W high-power R/G/B/W/A (homogenous color mix) |
| | 5 x 3 W high-power R/G/B/W/A |
| Flash rate: | 0 - 20 Hz |
| Equipment: | Gobos |
| Laser class: | 2M |
| Laser color: | R/G |
| Laser module: | Green (G) 30 mW 532nm |
| | Red (R) 100 mW 650nm |
| Control: | Stand-alone; IR remote control; sound to light via microphone |
| Housing color: | Black |
| Dimensions: | Width: 26,8 cm |
| | Depth: 15,9 cm |
| | Height: 20,4 cm |
| Weight: | 2,27 kg |
| Remote control | |
| Battery: | 1 x button cell 3.0 V CR2025 lithium manganese built-in |

### EUROLITE LED PIX-144 RGB Bar

| | |
|---|---|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Power consumption: | 25 W |
| IP classification: | IP20 |
| Protection class: | Protection class I |

| | |
|---|---|
| Power connection: | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) |
| Power output: | 1 x IEC connector (F) mounting version |
| Fuse: | 5 x 20 mm, T 1 A fuse replaceable |
| Lamp type: | LED lamp |
| LED type: | 144 x SMD 5050 3in1 TCL RGB (homogenous color mix) |
| Flash rate: | 0 - 20 Hz |
| DMX channels: | 3; 5; 6; 12; 24; 48 |
| DMX input: | 3-pin XLR (M) mounting version |
| DMX output: | 3-pin XLR (F) mounting version |
| Cooling: | Passive convection cooling |
| Control: | DMX; sound to light via microphone |
| Preprogrammed in: | Light´J; LED PC-Control 512; Light Captain; Colorchief |
| Projection: | Flicker-free |
| Housing color: | Black |
| Attachment system: | 2x mounting bracket |
| Display type: | 4 digit 7-segment LED display |
| Material: | Aluminum casting |
| Dimensions: | Length: 102 cm<br>Depth: 6,5 cm<br>Height: 8 cm |
| Weight: | 1,54 kg |
| Noise classification: | Class 0 (no noise at all) |
| Power cord | |
| Cable construction: | 3 x 0,75 mm² H05VV-F |
| Cable length: | Approx. 1,2 m |
| Mounting bracket | |
| Diameter mounting holes: | 1 x Ø11mm; 2 x Ø8mm; 1 x Ø8,5mm |
| Material: | Metal, 2 mm |
| Knurled screw | |
| Thread: | M8 thread x 16 mm |
| Washer | |
| Material: | Rubber |
| Dimensions: | Height: 0,3 cm<br>Diameter: Ø 2 cm |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

**EUROLITE B-80 Bubble Machine**

| | |
|---|---|
| Power supply: | 230 V AC, 50 Hz |
| Power consumption: | 10 W |

| Power connection: | Mains input via coaxial power connector (M) mounting version power supply cord with AC adapter (provided) |
|---|---|
| Tank capacity: | 1 l bubble fluid |
| Control: | On/off switch on device |
| Dimensions: | Width: 27,5 cm |
| | Depth: 27 cm |
| | Height: 27,5 cm |
| Weight: | 1,31 kg |

**EUROLITE Bubble Fluid 1l**

| Container size: | 1 l |
|---|---|
| Type of fluid: | Bubble fluid ready for use |
| Weight: | 1,00 kg |

**EUROLITE N-19 Fog Machine silver**

| Power supply: | 230 V AC, 50 Hz |
|---|---|
| Power consumption: | 700 W |
| IP classification: | IP20 |
| Power connection: | Fixed power supply cord with safety plug |
| Warm-up time: | Approx. 5 min |
| Output volume: | Approx. 90 m³/min |
| Output distance: | Approx. 2,5 m |
| Tank capacity: | 1 l water-based fluid fixed tank |
| Fluid consumption: | Approx. 25 ml/min |
| Control: | Wired remote control |
| Housing color: | Silver |
| Attachment system: | Mounting bracket |
| Controls: | Overheat |
| Color: | Silver |
| Dimensions: | Width: 27 cm |
| | Depth: 35 cm |
| | Height: 22 cm |
| Weight: | 2,90 kg |
| Noise classification: | Class 3 (clearly perceptible sounds) |

**EUROLITE SMOKE FLUID -P2D- Professional, 1l smoke fluid**

| Container size: | 1 l |
|---|---|
| Type of fluid: | Water-based fluid ready for use |
| Weight: | 1,00 kg |