


## EUROLITE Set AKKU 2x Flat light 3 bk + Bar-6 + Stands

Art. No.: 2000520

DJ stand with 3 spotlights and speaker stands including white tripod covers

GTIN:



**List price: 1248.31 €**

incl. 19% VAT.

### Features:

#### EUROLITE AKKU Flat Light 3 bk

Flat spotlight with 3 x 8 W RGBW LED, QuickDMX transceiver and bracket

- With QuickDMX transceiver - cordless, flexible and versatile
- 3 high-power 8 W RGBW LEDs (4in1)
- Compact and bright
- Elegant housing for indoor use
- With integrated QuickDMX transmitter/receiver for the wireless transmission of DMX512 signals
- Operation via built-in rechargeable lithium-ion battery with up to 16 hours operating time
- Integrated automatic charging of the battery with indicator
- Functions: static colors, stepless RGBW color mixture, internal programs, dimmer, strobe effect with variable speed
- Dimmer speed (step response) adjustable
- Addressing and setting via Control Board with touch buttons and LCD
- Hanging as well as standing installation possible
- Inclination angle manually adjustable via the bracket
- Charger included in delivery
- Switch-mode power supply for operation between 100 and 240 volts
- DMX512 control via any standard DMX controller and suitable wireless transmitter
- Available in silver or in black
- LED: 3 x high-power 8 W 4in1 QCL RGBW (homogenous color mix)
- Can be operated in 3; 4; 6; 8; 10 CH mode
- The device is cooled by passive convection
- Controlling by Stand-alone; QuickDMX built-in; IR remote control; Sound to light via Microphone
- Is in Light J Software; EASY SHOW; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE already preprogrammed
- Flicker-free projection

### Logistic

- Effect: Strobe effect
- With a KENSINGTON LOCK theft protection
- For application areas such as: Small lender; Wedding/gala

#### **EUROLITE AKKU Bar-6 Glow QCL Flex QuickDMX**

Tilttable battery-powered LED bar and mood light with 4in1 LEDs and QuickDMX

- 100° tilttable bar with 6 high-power 8 W RGBW LEDs (4in1) and removable milky diffuser
- Mood light with milky front screen provides a pleasantly soft light with 30 SMD RGBW LEDs (4in1)
- Compact and bright
- With integrated QuickDMX transmitter/receiver for the wireless transmission of DMX512 signals
- Operation via mains connection or built-in rechargeable lithium-ion battery with up to 13 hours operating time
- Wireless master/slave operation via QuickDMX
- Built-in auto and music show programs
- Stepless RGBW color mixture, static colors, dimmer, internal programs and strobe effect with variable speed, sound-control
- Dimmer speed (step response) adjustable
- Integrated automatic charging of the battery with indicator
- Addressing and setting via Control Board with LCD
- Hanging as well as standing installation possible
- Power connection via P-Con jack and included power cable with safety plug
- LED: 30 x SMD 5050 0,25 W 4in1 QCL RGBW (homogenous color mix)
- LED: 6 x high-power 8 W 4in1 QCL RGBW (homogenous color mix)
- Can be operated in 3; 7; 8; 9; 11 CH mode
- The device is cooled by passive convection
- Controlling by Stand-alone; DMX; QuickDMX built-in; IR remote control; Sound to light via Microphone; Master/slave function
- Is in Light J Software; EUROLITE LED PC-Control 512 software already preprogrammed
- Flicker-free projection
- With a KENSINGTON LOCK theft protection
- For application areas such as: Wedding/gala; Small lender

#### **OMNITRONIC Speaker Stand MOVE MK2 set**

2 speaker stands, extendible up to 185 cm, maximum load 30 kg + carrying bag

- Set consisting of 2 x speaker stand and carry bag
- Height adjustable, with locking pin
- Height: 100-185 cm
- Tube diameter: Ø 35 mm
- Centric load: 30 kg
- Scratch-resistant black finish
- Stable steel version

#### **EUROPALMS Tripod Cover white two-sided**

Cover for lighting stands

- Best suited for reproducing light projections
- Extremely stretchable cloth
- Easy installation

#### **OMNITRONIC Mobile DJ Stand w. Cover**

Portable DJ table with screen for mobile applications

- Lightweight, portable table system for mobile DJs
- Collapsible panels for easy storage and transport
- DJ equipment and cable clutter stay hidden concealed
- Translucent stretch fabric - can be backlit with any lighting effect
- 2 shelves with black felt cover for DJ equipment
- Quick, tool-free setup
- Solid, steel tube construction with hinges
- Removable cloth for convenient cleaning
- Stretch fabric meets B1 (must be impregnated with fire retardant again after washing)

- Color: white/black
- With transport bag

## Technical specifications:

---

Weight: 31,68 kg

---

### EUROLITE AKKU Flat Light 3 bk

|                         |   |
|-------------------------|---|
| Power supply:           | 100-240 V AC, 50/60 Hz<br>12,6 V DC 2,5 A   |
| IP classification:      | IP20  |
| Protection class:       | Class III   |
| Power connection:       | Battery/battery pack<br>Mains input Coaxial power connector (M) Power supply cord with Euro plug (provided)   |
| Battery pack type:      | 1 x lithium ion 11,1 V, 5200 mAh, 57,72 Wh  |
| Battery pack:           | Battery operation up to 16h depending on program used<br>Recharging time 4h   |
| Lamp type:              | LED lamp  |
| LED:                    | 3 x high-power 8 W 4in1 QCL RGBW (homogenous color mix)   |
| DMX channels:           | 3; 4; 6; 8; 10  |
| Cooling:                | Passive convection  |
| Control:                | Stand-alone; QuickDMX built-in; IR remote control; Sound to light via Microphone; Light J Software; EASY SHOW; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE |
| Beam angle:             | 12°   |
| Beam angle (1/2 peak):  | 12°   |
| Beam angle (1/10 peak): | 30°   |
| Housing color:          | Black   |
| Display type:           | OLED display  |
| Carrier frequency:      | 2,4 GHz   |
| Theft protection:       | KENSINGTON LOCK   |
| Dimensions:             | Width: 16,8 cm<br>Depth: 13,8 cm<br>Height: 6,2 cm  |
| Weight:                 | 1,62 kg   |
| Noise classification:   | Class 0 (no noise at all)   |
| Remote control          |   |
| Battery:                | 1 x Button cell 3.0 V CR2032 lithium manganese built-in   |
| Legal specifications    |   |
| Special product:        | Not designed for household room illumination  |

|   |  |
|---|--|
| intended use:                                     | show effect lighting   |
| <b>EUROLITE AKKU Bar-6 Glow QCL Flex QuickDMX</b> |  |
| Power supply:                                     | 100-240 V AC, 50/60 Hz   |
| IP classification:                                | IP20   |
| Protection class:                                 | Class III  |
| Power connection:                                 | Battery/battery pack<br>Mains input P-Con (blue), mounting version<br>Power supply cord with safety plug (provided)  |
| Battery pack type:                                | 1 x lithium ion 11,1 V, 10400 mAh, 115,44 Wh   |
| Battery pack:                                     | Battery operation up to 13h depending on program used<br>Recharging time 4h  |
| Lamp type:  | LED lamp   |
| LED:  | 30 x SMD 5050 0,25 W 4in1 QCL RGBW (homogenous color mix)<br>6 x high-power 8 W 4in1 QCL RGBW (homogenous color mix)   |
| DMX channels:                                     | 3; 7; 8; 9; 11   |
| DMX input:  | 3-pin XLR (M) mounting version   |
| DMX output:                                       | 3-pin XLR (F) mounting version   |
| Cooling:  | Passive convection   |
| Control:  | Stand-alone; DMX; QuickDMX built-in; IR remote control; Sound to light via Microphone; Light J Software; EUROLITE LED PC-Control 512 software; Master/slave function |
| Beam angle:                                       | 15°  |
| Beam angle (1/2 peak):                            | 15°  |
| Beam angle (1/10 peak):                           | 30°  |
| Housing color:                                    | Black  |
| Display type:                                     | Multicolor LCD display   |
| Carrier frequency:                                | 2,4 GHz  |
| Theft protection:                                 | KENSINGTON LOCK  |
| Dimensions:                                       | Length: 41,1 cm<br>Depth: 9,5 cm<br>Height: 10,5 cm  |
| Weight:   | 2,80 kg  |
| Noise classification:                             | Class 0 (no noise at all)  |
| Remote control                                    |  |
| Battery:  | 1 x Button cell 3.0 V CR2032 lithium manganese built-in  |
| <b>Legal specifications</b>                       |  |
| Special product:                                  | Not designed for household room illumination   |
| intended use:                                     | show effect lighting   |

#### OMNITRONIC Speaker Stand MOVE MK2 set

|                            |                                    |
|----------------------------|------------------------------------|
| Maximum carrying capacity: | 30 kg                              |
| Tube diameter sector:      | 35                                 |
| Height:                    | Maximum: 185 cm<br>Minimum: 100 cm |
| Attachment system:         | Ø 35mm                             |
| Type (general stands):     | Speaker stand/manual               |
| Material:                  | Steel                              |
| Color:                     | Black                              |
| Weight:                    | 5,10 kg                            |

#### **EUROPALMS Tripod Cover white two-sided**

|                        |           |
|------------------------|-----------|
| Type (general stands): | Accessory |
| Color:                 | White     |
| Weight:                | 220 g     |

#### **OMNITRONIC Mobile DJ Stand w. Cover**

|                            |  |
|----------------------------|--|
| Maximum carrying capacity: | 50 kg  |
| Transport dimensions:      | 1,25 m x 75 cm x 15 cm                         |
| Table console:             | 1,4 m x 70 cm x 15 cm                          |
| Dimensions:                | Width: 1,47 m<br>Depth: 74 cm<br>Height: 1,2 m |
| Weight:                    | 20,10 kg                                       |
| Stand                      |  |
| Material:                  | Steel  |
| Color:                     | Black  |
| Textile cover              |  |
| Material:                  | Textile  |
| Color:                     | White  |