

## OMNITRONIC PA Set AZX passive L

2x AZX-212 2-Way Top 200W including 2x AZX-115 PA Subwoofer 400W

Art. No.: 20000530

GTIN:



**List price: 1248.31 €**

incl. 19% VAT.

### Features:

#### OMNITRONIC AZX-212 2-way Top 200W

Passive speaker with 12" woofer, 1,35" driver and 200 W RMS

- 2-way bass-reflex enclosure with 30 cm woofer and 3.5 cm titanium driver
- Dual flange
- With rigging points
- Black metal grille with acoustic foam
- Rugged carrying handle
- Application possibility: Standing; suspended; monitoring; on stand
- For application areas such as: Clubs/dancing school; installation; mobile use; mobile djs / entertainer; rental

#### Package contents

- 1 x top, 1 x user manual

#### OMNITRONIC AZX-115 PA Subwoofer 400W

15" bassreflex subwoofer with 400 W RMS

- 38 cm (15") bass speaker with 63 mm voice coil
- Black metal grille with acoustic foam
- 2 recessed carrying handles
- Application possibility: Standing
- For application areas such as: Clubs/dancing school; installation; mobile use; mobile djs / entertainer; rental

#### Package contents

- 1 x user manual, 1 x bass

### Logistic

## Technical specifications:

|         |          |
|---------|----------|
| Weight: | 84,20 kg |
|---------|----------|

### OMNITRONIC AZX-212 2-way Top 200W

|                    |   |
|--------------------|---|
| Power:             | Program: 400W<br>Rated: 200W RMS  |
| Frequency range:   | 55 - 18000 Hz   |
| Sensitivity:       | 94 dB (1W/1m)   |
| Impedance:         | 8 ohms  |
| Attachment system: | Dual flange: Ø 35mm (0°/5°)   |
| Flying points:     | 7 x M10 thread  |
| Connections:       | Input: speaker via 2 x speaker built-in socket (F)  |
| Speaker:           | 1 x woofer 12" with ferrit magnet<br>Voice coil lows 2"<br>Voice coil compression tweeter highs 1,35" |
| Type of speaker:   | Compact cabinet speaker   |
| Carrying handle:   | 1 pc/pcs  |
| Material:          | MDF (medium density fiberboard), 15 mm  |
| Color:             | Black, textured coating, painted  |
| Dimensions:        | Width: 37 cm<br>Depth: 35,2 cm<br>Height: 62,2 cm   |
| Weight:            | 18,00 kg  |

### OMNITRONIC AZX-115 PA Subwoofer 400W

|                           |  |
|---------------------------|--|
| Power:                    | Program: 800W<br>Rated: 400W RMS                   |
| Frequency range:          | 40 - 250 Hz  |
| Sensitivity:              | 94 dB (1W/1m)                                      |
| Impedance:                | 8 ohms   |
| Attachment system:        | Flange: M20 thread                                 |
| Connections:              | Input: speaker via 2 x speaker built-in socket (F) |
| Speaker:                  | 1 x woofer 15"<br>Voice coil lows 2,5"             |
| Type of speaker:          | Subwoofer  |
| Type of construction:     | Vented   |
| Recessed carrying handle: | 2 pc/pcs   |
| Material:                 | MDF (medium density fiberboard), 15 mm             |
| Color:                    | Black, textured coating, painted                   |
| Dimensions:               | Width: 53 cm                                       |

Depth: 55 cm  
Height: 47 cm

---

|         |          |
|---------|----------|
| Weight: | 24,10 kg |
|---------|----------|

---