

OMNITRONIC PA Set AZX passive XL

2x AZX-215 2-Way Top 300W including 2x AZX-118 PA Subwoofer 450W

Art. No.: 20000531

GTIN:



List price: 1700.51 €

incl. 19% VAT.

Features: Logistic

OMNITRONIC AZX-215 2-way Top 300W

Passive speaker with 15" woofer, 1,75" driver and 300 W RMS

- 2-way bass-reflex enclosure with 38 cm woofer and 4.5 cm titanium driver
- With rigging points
- Black metal grille with acoustic foam
- 2 Rugged carrying handles
- Application possibility: Standing; suspended; monitoring; on stand
- Dual flange
- For application areas such as: Clubs/dancing school; installation; mobile use; mobile djs / entertainer; rental

Package contents

1 x user manual, 1 x top

OMNITRONIC AZX-118 PA Subwoofer 450W

18" bassreflex subwoofer with 450 W RMS

- 46 cm (18") bass speaker with 63 mm voice coil
- Black metal grille with acoustic foam
- 2 recessed carrying handles
- Application possibility: Standing
- For application areas such as: Clubs/dancing school; installation; mobile use; mobile djs / entertainer; rental

Package contents

- 1 x user manual, 1 x bass

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted. Illustration only. Actual item may differ from photo.

Technical specifications:

Weight: 107,00 kg

OMNITRONIC AZX-215 2-way Top 300W

Power:	Program: 600W Rated: 300W RMS
Frequency range:	50 - 20000 Hz
Sensitivity:	94 dB (1W/1m)
Impedance:	8 ohms
Attachment system:	Dual flange: Ø 35mm (0°/5°)
Flying points:	7 x M10 thread
Connections:	Input: speaker via 2 x speaker built-in socket (F)
Speaker:	1 x woofer 15" Voice coil lows 3" 1 x compression tweeter highs 1,75"
Type of speaker:	Compact cabinet speaker
Carrying handle:	2 pc/pcs
Material:	MDF (medium density fiberboard), 15 mm
Color:	Black, textured coating, painted
Dimensions:	Width: 43 cm Depth: 43 cm Height: 73 cm
Weight:	23,40 kg

OMNITRONIC AZX-118 PA Subwoofer 450W

OMINITACINIC AZA-1101 A SUBWOOM	51 43044
Power:	Program: 900W
	Rated: 450W RMS
Frequency range:	40 - 250 Hz
Sensitivity:	95 dB (1W/1m)
Impedance:	8 ohms
Attachment system:	Flange: M20 thread
Connections:	Input: speaker via 2 x speaker built-in socket (F)
Speaker:	1 x woofer 18"
	Basket material: steel
	Voice coil lows 2,5"
Type of speaker:	Subwoofer
Type of construction:	Vented
Recessed carrying handle:	2 pc/pcs
Material:	MDF (medium density fiberboard), 15 mm
Color:	Black, textured coating, painted

Dimensions: Width: 61,3 cm
Depth: 61,3 cm

Height: 54 cm

Weight: 30,10 kg