

EUROLITE Set LED Strip RGB 5m + RF Controller + Transformer 12V

LED Strip RGB 5m, wireless remote control and Transformer 12V

Art. No.: 2000554

GTIN:



Features:

- Flexible LED strip for decorative lighting
- Can be cut into segments of variable size
- Self-adhesive rear side
- Supplied on a plastic reel
- 150 LEDs SMD 5050 3in1 R/G/B (homogenous color mix)
- Control via system controller (optional)
- For application areas such as: Trade fair and shop fitting; clubs/dancing school; installation; restaurants, bars and hotels
- Silent operation
- <p>EUROLITE LED Strip RGB RF Controller
- <h2 class="featureSatz">3-channel LED controller with wireless remote control for RGB LED strips 12-24V</h2>For controlling RGB LED strips 12-24 V
- Color selection via touch-sensitive color wheel
- RJ45 jacks for serial connection
- Dimmer electronic; program speed adjustable
- 10 integrated show programs
- Control via wireless remote control
- Operating range up to 20m
- <p>EUROLITE Electr. LED Transformer, 12V, 4A
- <h2 class="featureSatz">Stabilized LED power supply unit DC 12 V, 4 A</h2>Especially for LED installations
- Input voltage AC 100-240 V

Logistic

Technical specifications:

Weight: 0.56 kg

EUROLITE LED Strip 150 5m 5050 RGB 12V

| | |
|----------------------------------|--|
| Power supply: | 12V DC |
| Power consumption: | 36 W |
| Power connection: | Fixed supply cord with open wires |
| Cable length: | 0.15 m |
| Lamp type: | LED lamp |
| LED type: | 150 x SMD 5050 3in1 R/G/B (homogenous color mix) |
| Control: | System controller (optional) |
| Standing/fixation: | Self adhesive |
| Lamps/meter: | 30 pc/pcs |
| Power/meter: | 7.2 W |
| Lamps/tube: | 150 pc/pcs |
| Lamp distance: | 33 mm |
| Cutting mark: | 10 cm |
| Luminous flux (Lumen) per meter: | 300 lm/m |
| Housing color: | White |
| Dimensions: | Length: 500 cm Width: 1 cm |
| Weight: | 0.11 kg |
| Noise classification: | Class 0 (no noise at all) |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

EUROLITE LED Strip RGB RF Controller

| | |
|--------------------|--|
| Power supply: | 12/24V DC |
| Power consumption: | Max. 360 W 12 V DC Max. 720 W 24 V DC 120 W 12 V DC per channel 240 W 24 V DC per channel |
| Output current: | Max. 3 x 10 A per channel |
| Power connection: | Mains input via screw terminal |
| Power output: | 4 x screw terminal |
| Battery: | Micro (AAA) (not included) |
| Control: | Wireless remote control |
| Range: | Range up to 20m |
| Carrier frequency: | 433.920 MHz |

| | |
|--------------|---|
| Connections: | Signal via 2 x RJ-45 (F) mounting version Screw terminal |
| Dimensions: | Length: 9 cm Width: 9 cm Height: 2.4 cm |
| Weight: | 0.29 kg |
| Dimensions: | Height: 2.2 cm |

EUROLITE Electr. LED Transformer, 12V, 4A

| | |
|-------------------|--|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Protection class: | Protection class II |
| Power connection: | Mains input via screw terminal |
| Power output: | Screw terminal |
| Housing color: | White matte |
| Controls: | Overload; short-circuit; overheat |
| Output: | 12V DC, stabilized; 4 A; |
| Material: | Plastic |
| Dimensions: | Length: 18 cm Width: 4 cm Height: 2.5 cm |
| Weight: | 0.16 kg |

Scope of delivery:

1 x EUROLITE LED Strip 150 5m 5050 RGB 12V

1 x illuminant
1 x user manual

1 x EUROLITE LED Strip RGB RF Controller

1 x controller
1 x transmitter
1 x user manual
1 x declaration of conformity

1 x EUROLITE Electr. LED Transformer, 12V, 4A

1 x external mains adapter