



The article is no longer in our assortment.

Features:

EUROLITE LED Pixel Strip 150 5m RGB 5V

Digital LED pixel strip with 3in1 TCL RGB LEDs

- 5 meter digitally addressable LED pixel strip
- Each LED individually addressable for displaying multimedia content or stunning running light effects, color fades and animations
- Easily create animations with MADRIX or any other control software supporting Art-Net
- Can be cut into segments of variable size
- Supplied on a plastic reel
- 1 JST connector (3 pins) for Art-Net and 1 for serial connection
- 150 powerful LEDs SMD 5050 3in1 TCL RGB (homogenous color mix)
- Control via system controller
- For application areas such as: Trade fair and shop fitting; Clubs/dancing school; Installation; restaurants, bars and hotels
- Silent operation

Package contents

- 1 x device, 1 x user manual, 1 x adapter cable

EUROLITE LED Strip Pixel 5V Controller

Compact controller for digital LED pixel strips 5 V

- Compact pixel controller with remote control
- Controls up to 2048 pixels
- 4-digit LED display for menu settings
- Screw terminals for connecting the LEDs
- Screw terminals and DC jack for external 5 V power supply

Logistic

- RJ45 jacks for serial connection
- 132 integrated show programs
- Control via Wireless remote control
- Operating range up to 20m

Package contents

- 1 x controller, 1 x user manual, 1 x battery, 1 x remote control, 1 x declaration of conformity

EUROLITE Electronic Transformer, 5V, 12A IP67

Stabilized LED power supply unit DC 5 V, 12 A

- For indoors and outdoors (IP67)
- Input voltage AC 100-240 V
- Output voltage DC 5 V, 12 A
- Protected against short circuit, overload, overheating and overvoltage
- Noise filter
- Connection via open cable ends

Package contents

- 1 x external mains adapter

Technical specifications:

Weight: 860 g

EUROLITE LED Pixel Strip 150 5m RGB 5V

| | |
|-----------------------------|--|
| Power supply: | 5 V DC 7 A |
| Power consumption: | 35 W |
| IP classification: | IP20 |
| Protection class: | Protection class III |
| Power connection: | Fixed power supply cord with special plug |
| Power output: | 1 x Special connector |
| LED: | 150 x SMD 5050 3in1 TCL RGB (homogenous color mix) |
| Control: | System controller |
| Standing/fixation: | Self adhesive |
| Lamps/meter: | 30 pc/pcs |
| Power/meter: | 6,5 W |
| Lamps/tube: | 150 pc/pcs |
| Lamp distance: | 33 mm |
| Cutting mark: | 3,3 cm |
| Housing color: | Black |
| Dimensions: | Length: 5 m Width: 1 cm Height: 2 mm |
| Weight: | 70 g |
| Noise classification: | Class 0 (no noise at all) |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

EUROLITE LED Strip Pixel 5V Controller

| | |
|--------------------|---|
| Power supply: | 5 V DC 60 mA |
| Protection class: | Protection class III |
| Power connection: | Via screw terminal |
| Power output: | Screw terminal |
| Control: | Wireless remote control |
| Range: | Range up to 20m |
| Carrier frequency: | 433,920 MHz |
| Color: | Silver |
| Dimensions: | Width: 7 cm Depth: 13,2 cm Height: 2,5 cm |
| Weight: | 190 g |
| Remote control | |
| Battery: | 12 V AR23 zinc air included |

EUROLITE Electronic Transformer, 5V, 12A IP67

| | |
|--------------------|--|
| Power supply: | 100-240 V AC, 50/60 Hz |
| IP classification: | IP67 |
| Protection class: | Protection class II |
| Power connection: | Supply cord with open wires |
| Cable length: | Approx. 0,2 m |
| Power output: | No connector/cable only |
| Housing color: | White |
| Output: | 5 V DC; 12 A; |
| Material: | Plastic |
| Dimensions: | Length: 19,2 cm Width: 5,2 cm Height: 3,7 cm |
| Weight: | 600 g |