EUROLITE Set LED Pixel Strip RGB 5m + Controller + Transformer 5V

Art. No.: 20000556

GTIN:

LED Pixel Strip 5m, compact controller and Transformator 5V

The article is no longer in our assortment.

Features:

EUROLITE LED Pixel Strip 150 5m RGB 5V

Digital LED pixel strip with 3in1 TCL RGB LEDs

- 5 meter digitally addressable LED pixel strip
- Each LED individually addressable for displaying multimedia content or stunning running light effects, color fades and animations
- Easily create animations with MADRIX or any other control software supporting Art-Net
- Can be cut into segments of variable size
- Supplied on a plastic reel
- 1 JST connector (3 pins) for Art-Net and 1 for serial connection
- 150 powerful LEDs SMD 5050 3in1 TCL RGB (homogenous color mix)
- Control via system controller
- For application areas such as: Trade fair and shop fitting; Clubs/dancing school; Installation; restaurants, bars and hotels
- Silent operation

  Package contents
- 1 x device, 1 x user manual

EUROLITE LED Strip Pixel 5V Controller

Compact controller for digital LED pixel strips 5 V

- Compact pixel controller with remote control
- Controls up to 2048 pixels
- 4-digit LED display for menu settings
- Screw terminals for connecting the LEDs
- Screw terminals and DC jack for external 5 V power supply

Logistic

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

- RJ45 jacks for serial connection
- 132 integrated show programs
- Control via Wireless remote control
- Operating range up to 20m

Package contents

- 1 x controller, 1 x user manual, 1 x battery, 1 x remote control, 1 x declaration of conformity

EUROLITE Electronic Transformer, 5V, 12A IP67

Stabilized LED power supply unit DC 5 V, 12 A

- For indoors and outdoors (IP67)
- Input voltage AC 100-240 V
- Output voltage DC 5 V, 12 A
- Protected against short circuit, overload, overheating and overvoltage
- Noise filter
- Connection via open cable ends

Package contents

- 1 x external mains adapter

Technical specifications:

Weight:	870 g

EUROLITE LED Pixel Strip 150 5m RGB 5V

Power supply:	5 V DC 7 A
Power consumption:	35 W
IP classification:	IP20
Protection class:	Protection class III
Power connection:	Fixed power supply cord with special plug
Power output:	1 x Special connector
LED type:	150 x SMD 5050 3in1 TCL RGB (homogenous color mix)
Control:	System controller
Standing/fixation:	Self adhesive
Lamps/meter:	30 pc/pcs
Power/meter:	6,5 W
Lamps/tube:	150 pc/pcs
Lamp distance:	33 mm
Cutting mark:	3,3 cm
Housing color:	Black
Dimensions:	Length: 5 m Width: 1 cm Height: 2 mm
Weight:	80 g
Noise classification:	Class 0 (no noise at all)
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

EUROLITE LED Strip Pixel 5V Controller

Power supply:	5 V DC 60 mA
Protection class:	Protection class III
Power connection:	Via screw terminal
Power output:	Screw terminal
Control:	Wireless remote control
Range:	Range up to 20m
Carrier frequency:	433,920 MHz
Color:	Silver
Dimensions:	Width: 7 cm Depth: 13,2 cm Height: 2,5 cm
Weight:	190 g
Remote control	
Battery:	12 V AR23 zinc air included

EUROLITE Electronic Transformer, 5V, 12A IP67

Power supply:	100-240 V AC, 50/60 Hz
IP classification:	IP67
Protection class:	Protection class II
Power connection:	Supply cord with open wires
Cable length:	Approx. 0,2 m
Power output:	No connector/cable only
Housing color:	White
Output:	5 V DC; 12 A;
Material:	Plastic
Dimensions:	Length: 19,2 cm Width: 5,2 cm Height: 3,7 cm
Weight:	600 g

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.