



### Features:

- 5 meter digitally addressable LED pixel strip
- Each LED individually addressable for displaying multimedia content or stunning running light effects, color fades and animations
- Easily create animations with MADRIX or any other control software supporting Art-Net
- Can be cut into segments of variable size
- Supplied on a plastic reel
- 1 JST connector (3 pins) for Art-Net and 1 for serial connection
- 150 LEDs SMD 5050 3in1 R/G/B (homogenous color mix)
- Control via system controller
- For application areas such as: Trade fair and shop fitting; clubs/dancing school; installation; restaurants, bars and hotels
- Silent operation
- <p>EUROLITE LED Strip Pixel 5V Controller
- <h2 class="featureSatz">Compact controller for digital LED pixel strips 5 V</h2>Compact pixel controller with remote control
- Controls up to 2048 pixels
- 4-digit LED display for menu settings
- Screw terminals for connecting the LEDs
- Screw terminals and DC jack for external 5 V power supply
- RJ45 jacks for serial connection
- 132 integrated show programs
- Control via wireless remote control
- Operating range up to 20m
- <p>EUROLITE Electronic Transformer, 5V, 12A IP67
- <h2 class="featureSatz">Stabilized LED power supply unit DC 5 V, 12 A</h2>For indoors and outdoors (IP67)

### Logistic

- Input voltage AC 100-240 V
- Output voltage DC 5 V, 12 A
- Protected against short circuit, overload, overheating and overvoltage
- Noise filter
- Connection via open cable ends

## Technical specifications:

---

Weight: 0.87 kg

---

### EUROLITE LED Pixel Strip 150 5m RGB 5V

Power supply:	5V DC 7000 mA
Power consumption:	35 W
Protection class:	Protection class III
Power connection:	Fixed power supply cord with special plug
Power output:	1 x special connector
Lamp type:	LED lamp
LED type:	150 x SMD 5050 3in1 R/G/B (homogenous color mix)
Control:	System controller
Standing/fixation:	Self adhesive
Lamps/meter:	30 pc/pcs
Power/meter:	6.5 W
Lamps/tube:	150 pc/pcs
Lamp distance:	33 mm
Cutting mark:	3.3 cm
Housing color:	Black
Dimensions:	Length: 500 cm Width: 1 cm Height: 0.2 cm
Weight:	0.08 kg
Noise classification:	Class 0 (no noise at all)
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

### EUROLITE LED Strip Pixel 5V Controller

Power supply:	5V DC 60 mA
Protection class:	Protection class III
Power connection:	Via screw terminal
Power output:	Screw terminal
Control:	Wireless remote control
Range:	Range up to 20m
Carrier frequency:	433.920 MHz

Color:	Silver
Dimensions:	Width: 7 cm Depth: 13.2 cm Height: 2.5 cm
Weight:	0.19 kg
Battery:	12 V AR23 zinc air included

#### **EUROLITE Electronic Transformer, 5V, 12A IP67**

Power supply:	100-240 V AC, 50/60 Hz
IP classification:	IP67
Protection class:	Protection class II
Power connection:	Supply cord with open wires
Cable length:	Approx. 0.2 m
Power output:	No connector/cable only
Housing color:	White
Output:	5 V DC; 12 A;
Material:	Plastic
Dimensions:	Length: 19.2 cm Width: 5.2 cm Height: 3.7 cm
Weight:	0.60 kg

#### **Scope of delivery:**

##### **1 x EUROLITE LED Pixel Strip 150 5m RGB 5V**

1 x device  
1 x user manual

##### **1 x EUROLITE LED Strip Pixel 5V Controller**

1 x controller  
1 x user manual  
1 x battery  
1 x remote control  
1 x declaration of conformity

##### **1 x EUROLITE Electronic Transformer, 5V, 12A IP67**

1 x external mains adapter