

# eurolite®

---

## Set LED Strip RGB 5m + RF Controller + Wandpanel + Trafo 24V

LED IP Strip 5m, wireless remote control, wireless wall  
dimmer and Transformer 24V

Art. No.: 20000557

GTIN:



**The article is no longer in our assortment.**

# eurolite®

---

## Set LED Strip RGB 5m + RF Controller + Wandpanel + Trafo 24V

LED IP Strip 5m, wireless remote control, wireless wall  
dimmer and Transformer 24V

Art. No.: 20000557

GTIN:

### Features:

---

#### EUROLITE LED IP Strip 150 5m RGB 24V

Flexible 3in1 TCL RGB LED strip for indoor and outdoor use, 24 V

- Flexible LED strip for decorative lighting
- Can be cut into segments of variable size
- Self-adhesive rear side
- Supplied on a plastic reel
- 150 powerful LEDs SMD 5050 3in1 TCL RGB (homogenous color mix)
- Control via system controller
- Suitable for outdoor use
- For application areas such as: Trade fair and shop fitting; clubs/dancing school; installation; restaurants, bars and hotels
- Silent operation
- Package contents
  - 1 x illuminant, 1 x user manual

## **EUROLITE LED Strip RGB RF Controller**

3-channel LED controller with wireless remote control for RGB LED strips 12-24V

- For controlling RGB LED strips 12-24 V
- Color selection via touch-sensitive color wheel
- RJ45 jacks for serial connection
- 10 integrated show programs
- Control via wireless remote control
- Operating range up to 20m
- Dimmer electronic; program speed adjustable

Package contents

- 1 x controller, 1 x transmitter, 1 x user manual, 1 x declaration of conformity

### **EUROLITE LED Strip Wall Panel for RGB RF Controller**

Wireless wall dimmer for RGB LED strips

- For controlling RGB LED strips 12-24 V
- Color wheel selection
- Terminals for connecting the power supply (100-240 V)
- Program speed adjustable; Dimmer electronic
- 10 integrated show programs
- Operating range up to 20m
- Flush mounting
- Finery housing (optional)

Package contents

- 1 x remote control, 1 x user manual, 1 x declaration of conformity

### **EUROLITE Electr. LED Transformer, 24V, 2A**

Stabilized LED power supply unit DC 24 V, 2 A