

EUROLITE Set LED Strip 3000K 15m Constant Current + Trafo 24V

3x LED strip with CRI >90 including 2x connector and transformer 24V

Art. No.: 20000558

GTIN:



The article is no longer in our assortment.

Features:

EUROLITE LED Strip 300 5m 3528 3000K 24V Constant Current

Flexible LED strip with a CRI >90 and 24 V constant current

- Flexible LED strip for decorative lighting
- Constant current technology for high efficiency, durability and homogeneous light distribution
- Greater lengths do not lead to light fall-off and do not require multiple feeders
- High-grade components and a solid construction guarantee a long service life and excellent color rendering
- Can be cut into segments of variable size
- Self-adhesive rear side
- Supplied on a plastic reel
- Power cable, straight and flexible plug connectors available as accessories
- Dimmable
- 300 powerful LEDs SMD 3528 warm white (WW)
- Control via accessory
- Very high color rendering index (CRI)
- For application areas such as: Trade fair and shop fitting; clubs/dancing school; installation; restaurants, bars and hotels
- Silent operation

Package contents

- 1 x device, 1 x user manual

Logistic

EUROLITE Electr. LED Transformer, 24V, 5A, IP67

Stabilized LED power supply unit DC 24 V, 5 A

- Especially for LED installations

- For indoors and outdoors (IP67)
 - Input voltage AC 100-240 V
 - Output voltage DC 24 V, 5 A
 - Protected against short circuit, overload, overheating and overvoltage
 - Noise filter
 - Connection via bare cable ends
 - L x W x H: 200 x 50 x 36 mm
 - 600 g
- Package contents**
- 1 x external mains adapter

Technical specifications:

Weight:	0,84 kg
---------	---------

EUROLITE LED Strip 300 5m 3528 3000K 24V Constant Current

Power supply:	24V AC 1000 mA
Power consumption:	23 W
IP classification:	IP20
Protection class:	Protection class III
Power connection:	Fixed supply cord with open wires
Lamp type:	LED lamp
Lamp specification:	Dimmable
LED type:	300 x SMD 3528 warm white (WW)
Control:	Accessory
Standing/fixation:	Self adhesive
Color temperature:	3000K
Color rendering index (CRI):	91 Ra
Lamps/meter:	60 pc/pcs
Power/meter:	4,5 W
Lamps/tube:	300 pc/pcs
Lamp distance:	16 mm
Cutting mark:	10 cm
Luminous flux (Lumen) per meter:	420 lm/m
Housing color:	White
Dimensions:	Length: 500 cm Width: 0,8 cm Height: 0,2 cm
Weight:	0,09 kg
Noise classification:	Class 0 (no noise at all)
Energy efficiency class (A - G):	F
EPREL-Nr:	1425968

EUROLITE Electr. LED Transformer, 24V, 5A, IP67

Power connection:	Fixed supply cord with open wires
Power output:	1 x no connector/cable only
Dimensions:	Width: 5 cm Depth: 20 cm Height: 3,6 cm
Weight:	0,58 kg

EUROLITE LED Strip Connector 2-Pin 8mm

IP classification:	IP20
Material:	Plastic
Color:	Black
Dimensions:	Length: 2 cm Width: 1,2 cm Height: 0,7 cm
Weight:	0,01 kg