

FUTURELIGHT Set 2x DMB-50 + Case

2x PRO beam Moving Head with a 50 W LED and RGB color mixing including flightcase with wheels

Art. No.: 2000568

GTIN: 4026397512724



List price: 2854.81 €

incl. 19% VAT.

Features:

FUTURELIGHT DMB-50 LED Moving-Head

PRO beam moving-head with a 50 W LED and very good RGB color mixing

- Extraordinary projection possibilities, thanks to the RGB LED module (3in1) - even color mixing, sharp, narrow beams, vivid single colors and homogeneous white
- Very narrow beam angle of 2°
- Optional W-DMX receiver for wireless DMX Control
- 8-facet prism and frost filter
- Preset colors and color temperatures (virtual color wheel)
- Exact positioning via 16-bit PAN/TILT movement resolution
- Electronic dimmer (0-100%)
- Motorized focus
- Strobe effect with adjustable speed
- Random strobe effect
- Automatic position correction
- PAN angle switchable between 540° and 630°
- ESDC function (Easy Service Data Check) with battery-buffered control board for operation time readouts etc. (the Li-Ion battery 3.7V, AAA, 10440 is not included)
- Control panel with LC display for easy configuration
- Stand-alone, master/slave and DMX mode
- The scenes can be modified via the Control Board or via an external controller and loaded into the memory
- Number of scenes can be changed individually
- Software upload by optional accessories via DMX link
- LED: 1 x COB (chip-on-board) 50 W 3in1 TCL RGB (homogenous color mix)
- Gobo wheel with static gobos, 17 gobos and open
shake effect
- Can be operated in 16; 18; 20; 21 CH mode

Logistic

EAN / GTIN: 4026397512724

Weight: 49,00 kg

Length: 1.20 m

Width: 0.80 m

Height: 0.80 m

Bulky product

- The device is cooled by temperature-controlled fan
- Controlling by RDM; DMX; stand-alone; W-DMX by wireless solution upgradeable; Sound to light via Microphone
- Preprogrammed in Light´J; LED PC-Control 512; Light Captain
- Flicker-free projection
- Effect: Gobo effect
- Built with NEUTRIK connector

ROADINGER Flightcase 2x DMH-75.i/DMH-80/TMH XB-130

Flightcase for two DMH-75.i spots

- With 2 Device compartments
- With accessory compartment
- High-quality workmanship with plywood glued 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 25mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- With 4 castors with 2 locking brakes
- Made in Europe

Technical specifications:

Weight: 48,10 kg

FUTURELIGHT DMB-50 LED Moving-Head

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	115 W
IP classification:	IP20
Power connection:	Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided)
Power output:	1 x PowerCON (gray), mounting version
Lamp type:	LED lamp
LED:	1 x COB (chip-on-board) 50 W 3in1 TCL RGB (homogenous color mix)
Max. TILT movement:	Exact positioning (16 bit resolution) 270° Auto position correction (feedback)
Max. PAN movement:	Exact positioning (16 bit resolution) 540° Positioning switchable to 630° Auto position correction (feedback)
Flash rate:	0 - 20 Hz
Equipment:	Gobo wheel with static gobos; Prism 8-fold; frost filter; Focus motor-driven
Gobos:	Gobo wheel with static gobos, 17 gobos and open Shake effect
DMX channels:	16; 18; 20; 21
DMX input:	1 x 5-pin XLR (M) mounting version
DMX output:	1 x 5-pin XLR (F) mounting version
Cooling:	Temperature-controlled fan

Control:	RDM; DMX; stand-alone; W-DMX by wireless solution upgradeable; Sound to light via Microphone; Light J; LED PC-Control 512; Light Captain
Beam angle:	2°
Beam angle (1/2 peak):	2°
Illuminance in Lux (lx):	Red (R) 6m: 4153 lx Green (G) 6m: 28365 lx Blue (B) 6m: 1725 lx All 6m: 34232 lx
Housing color:	Black
Use of brands:	Built with NEUTRIK connector
Dimensions:	Width: 29,8 cm Depth: 26,7 cm Height: 39,8 cm
Weight:	12,40 kg
Noise classification:	Class 2 (slight noise)
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

ROADINGER Flightcase 2x DMH-75.i/DMH-80/TMH XB-130

Maximum load:	50 kg
Aluminum profile frames:	25 mm
Case handles:	2 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Transport aid:	4 x castors with 2 locking brakes
Material:	Plywood glued, 7 mm
Color:	Dark brown, laminated
Compartment dimensions:	19,5 cm x 32 cm x 35,5 cm
Accessory compartment:	8,5 cm x 33 cm x 37,5 cm
Inside dimensions:	73 cm x 33 cm x 45,5 cm
Dimensions:	Width: 77 cm Depth: 37,5 cm Height: 63,5 cm
Weight:	17,25 kg