



**The article is no longer in our assortment.**

**Features:**

- For application areas such as: Carnival
- <p>TCM FX E-Shot
- <h2 class="featureSatz">Electric firing unit for confetti and streamers</h2>The electric shooter can be used for confetti or streamer cannons
- Suitable for electric cannons with 50and 80 cm length
- The shooting angle can be adjusted steplessly
- Activated by a 230V power source
- Output distance: Approx. 20 m
- Control via plug and play
- Made in Europe
- For application areas such as: Carnival
- <p>PSSO PowerCon Power Cable 3x1.5 1.5m H07RN-F
- Built with NEUTRIK connector
- Made in Europe
- <p>ROADINGER Flightcase 4x AKKU UP-4
- <h2 class="featureSatz">Trunk case, PRO version</h2>Cable bushing allows loading the devices inside
- With 4 device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 25mm with rounded edges
- Hinged, chromium plated case handle
- 2 chrome tip-over locks
- 1 high-quality butterfly lock
- Rubber feet
- Branded hardware

**Logistic**

- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

---

Weight:	12.95 kg
---------	----------

---

### TCM FX E-Shot

Power supply:	230 V AC, 50 Hz
---------------	-----------------

---

Power consumption:	100 W
--------------------	-------

---

Power connection:	Mains input via PowerCON (blue), mounting version power supply cord with safety plug
-------------------	--

---

Power output:	1 x PowerCON (gray), mounting version 1 x special connector recessed mounting
---------------	--

---

Output distance:	Approx. 20 m
------------------	--------------

---

Control:	Plug and play
----------	---------------

---

Housing color:	Black
----------------	-------

---

Dimensions:	Width: 12 cm Depth: 13 cm Height: 16 cm
-------------	---

---

Weight:	1.78 kg
---------	---------

---

### PSSO PowerCon Power Cable 3x1.5 1.5m H07RN-F

Cable construction:	3 x 1.5 mm <sup>2</sup> H07RN-F
---------------------	---------------------------------

---

Cable length:	1.5 m
---------------	-------

---

Plug A:	1 x safety plug (M)
---------	---------------------

---

Plug B:	1 x PowerCON (blue)
---------	---------------------

---

Use of brands:	Built with NEUTRIK connector
----------------	------------------------------

---

Color:	Black
--------	-------

---

Weight:	0.31 kg
---------	---------

---

### ROADINGER Flightcase 4x AKKU UP-4

Maximum load:	25 kg
---------------	-------

---

Aluminum profile frames:	25 mm
--------------------------	-------

---

Case handle:	1 pc/pcs
--------------	----------

---

Stop hinge:	2 pc/pcs
-------------	----------

---

Lock:	Butterfly lock: 1 pc/pcs
-------	--------------------------

---

Transport aid:	Rubber feet
----------------	-------------

---

Use of brands:	Branded hardware
----------------	------------------

---

Material:	Birch multiplex, 7 mm
-----------	-----------------------

---

Color:	Dark brown, laminated
--------	-----------------------

---

Compartment dimensions:	16 cm x 15 cm x 15.5 cm
Inside dimensions:	33 cm x 31 cm x 15.5 cm
Dimensions:	Width: 37 cm Depth: 35 cm Height: 25.5 cm
Weight:	4.59 kg

### **Scope of delivery:**

---

#### **4 x TCM FX E-Shot**

- 1 x device
- 1 x user manual

#### **4 x PSSO PowerCon Power Cable 3x1.5 1.5m H07RN-F**

- 1 x power cord