

## EUROLITE Set LED TMH-41 Hypno Moving Head Spot + Case

2x narrow angled spotlight with 3 hypno rings and 30 W LED incl. PRO flightcase

Art. No.: 20000571

GTIN: 4026397657210



### Features:

- Positioning within
- <p>EUROLITE LED TMH-41 Hypno Moving Head Spot
- <h2 class="featureSatz">Narrow angled spotlight with 3 hypno rings, 30 W LED, gobo and color wheel</h2>Compact lightweight
- 76 LEDs SMD 5050 3in1 TCL RGB (homogenous color mix)<BR> segments controlled separately
- 1 LED 30 W COB (chip-on-board) color wheel
- Positioning within 540° PAN, 210° TILT
- PAN angle switchable between 540° and 630°
- Auto position correction (feedback)
- Exact positioning (16 bit resolution)
- Gobo wheel with static gobos; focus manual
- Dimmer electronic; color blend stepless
- Gobo effect; beam effect
- Color wheel with 9 dichroic filters plus open
- Gobo wheel with static gobos, 9 gobos and open<BR>shake effect
- Integrated show programs
- The device is cooled by passive convection cooling
- Control via stand-alone; DMX; sound to light via microphone
- Fixtures available for Light´J; LED PC-Control 512; Light Captain
- Flicker-free
- DMX fail mode (hold; sound; auto; zero values)
- With a beam angle of 4.7°
- 4 digit 7-segment LED display
- For application areas such as: Clubs/dancing school; wedding/gala/events; party room; mobile djs / entertainer

### Logistic

EAN / GTIN: 4026397657210

Weight: 20,00 kg

Length: 0.82 m

Width: 0.82 m

Height: 0.52 m

Bulky product

- Application possibility: Standing; suspended
- <p>ROADINGER Flightcase 2x LED TMH-41
- <h2 class="featureSatz">Trunk case, HIGHLINE version</h2>For optimal security
- With accessory compartment
- With 2 device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 20mm with rounded edges
- 2 hinged, chromium plated case handles
- 3 chrome tip-over locks
- 2 high-quality butterfly locks
- Rubber feet
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

Weight: 19.00 kg

### EUROLITE LED TMH-41 Hypno Moving Head Spot

|                         |                                                                                                  |
|-------------------------|--------------------------------------------------------------------------------------------------|
| Power supply:           | 100-240 V AC, 50/60 Hz                                                                           |
| Power consumption:      | 70 W                                                                                             |
| IP classification:      | IP20                                                                                             |
| Power connection:       | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) |
| Lamp type:              | LED lamp                                                                                         |
| LED type:               | 76 x SMD 5050 3in1 TCL RGB (homogenous color mix)<br>1 x 30 W COB (chip-on-board) color wheel    |
| Max. TILT movement:     | 210° exact positioning (16 bit resolution) auto position correction (feedback)                   |
| Max. PAN movement:      | 540°, 630° exact positioning (16 bit resolution) auto position correction (feedback)             |
| Flash rate:             | 0 - 25 Hz                                                                                        |
| Equipment:              | Gobo wheel with static gobos; focus manual                                                       |
| Color generation:       | Color wheel with 9 dichroic filters plus open                                                    |
| Gobos:                  | Gobo wheel with static gobos, 9 gobos and open Shake effect                                      |
| DMX channels:           | 12; 23                                                                                           |
| DMX input:              | 1 x 3-pin XLR (M) mounting version                                                               |
| DMX output:             | 1 x 3-pin XLR (F) mounting version                                                               |
| Cooling:                | Passive convection cooling                                                                       |
| Control:                | Stand-alone; DMX; sound to light via microphone                                                  |
| Fixtures available for: | Light´J; LED PC-Control 512; Light Captain                                                       |
| Projection:             | Flicker-free                                                                                     |
| DMX fail mode:          | Hold; sound; auto; zero values                                                                   |

|                        |                                                   |
|------------------------|---------------------------------------------------|
| Beam angle:            | 4.7°                                              |
| Beam angle (1/2 peak): | 4.7°                                              |
| Housing color:         | Black                                             |
| Display type:          | 4 digit 7-segment LED display                     |
| Dimensions:            | Width: 24.5 cm<br>Depth: 16.5 cm<br>Height: 35 cm |
| Weight:                | 5.68 kg                                           |
| Noise classification:  | Class 3 (clearly perceptible sounds)              |
| Special product:       | Not designed for household room illumination      |
| Intended use:          | Show effect lighting                              |

**ROADINGER Flightcase 2x LED TMH-41**

|                          |                                               |
|--------------------------|-----------------------------------------------|
| Maximum load:            | 50 kg                                         |
| Aluminum profile frames: | 20 mm                                         |
| Case handle:             | 2 pc/pcs                                      |
| Stop hinge:              | 3 pc/pcs                                      |
| Lock:                    | Butterfly lock: 2 pc/pcs                      |
| Transport aid:           | Rubber feet                                   |
| Use of brands:           | Branded hardware                              |
| Material:                | Birch multiplex, 7 mm                         |
| Color:                   | Dark brown, laminated                         |
| Device compartment:      | 14 cm x 30 cm x 39 cm                         |
| Inside dimensions:       | 48 cm x 30 cm x 39 cm                         |
| Accessory compartment:   | 9 cm x 29 cm x 45 cm                          |
| Dimensions:              | Width: 52 cm<br>Depth: 34 cm<br>Height: 48 cm |
| Weight:                  | 10.85 kg                                      |

**Scope of delivery:**

- 1 x moving light
- 1 x user manual
- 1 x power cord
- 1 x omega bracket
- 1 x XLR cable
- 2 x screw
- 2 x washer