

## Set MAXX-1508DSP 2.1 Aktiv-System + Speaker Stands

Active speaker set including speaker stand and swivel castors

**Art. No.: 20000588**

GTIN:



**The article is no longer in our assortment.**

## Set MAXX-1508DSP 2.1 Aktiv-System + Speaker Stands

Active speaker set including speaker stand and swivel castors

**Art. No.: 20000588**

GTIN:

### Features:

---

#### OMNITRONIC MAXX-1508 2-way Top 2x

- 2 x 8" passive full-range speaker, 150 W RMS
  - 2-way bass-reflex system with 8" bass-midrange speaker and 1" compression driver
  - Serve as a mobile 2.1 system together with the MAXX-1508 subwoofer
  - With passive 2-way crossover, PTC tweeter protection
  - With rigging points
  - Black metal grille with acoustic foam
  - Rugged carrying handle
  - Application possibility: Standing; suspended; monitoring; on stand
  - For application areas such as: Mobile djs / entertainer; rental; mobile use
- Package contents
- 2 x top, 2 x speaker cable

## **OMNITRONIC MAXX-1508DSP 2.1 Active Subwoofer**

Powerful 15" active subwoofer with DSP and Bluetooth, 700 watts

- 15" subwoofer with Class D amplifier in bassreflex cabinet
  - Amplifier power: 400 W RMS + 2 x 150 W RMS for two satellites
  - Serves as a mobile 2.1 system together with MAXX-1508 2-way tops
  - Balanced signal input XLR/6.3 mm jack L/R
  - Additional stereo RCA input, with level switch
  - Separate volume control for subwoofer and satellites
  - Stereo/mono selection
  - Digital signal processor
  - DSP presets: FLAT; DJ; LIVE
  - Control via Bluetooth
  - Black metal grille with acoustic foam
  - Wheels optional
  - For application areas such as: Mobile use; mobile djs / entertainer; rental
  - Application possibility: Standing
- Package contents
- 1 x bass, 1 x user manual, 1 x power cord, 1 x strap, 1 x declaration of conformity

### **OMNITRONIC Speaker Stand MOVE MK2 set**

2 speaker stands, extendible up to 183 cm, maximum load 30 kg +  
carrying bag

- Height adjustable, with locking pin
- Tube diameter: Ø 35 mm
- Adjustable height

Package contents