

## EUROLITE Set 6x LED PARTY Spot + Case TDV-1

6x compact spotlight with 12 x 1 W LED in RGBW including universal case

Art. No.: 2000626

GTIN: 4026397663525



### Features:

- 12 LEDs 1 W SMD 8072 R/G/B/W
- Color blend stepless; color change programs; pulse effect adjustable; Dimmer electronic
- Strobe effect
- 7 integrated show programs
- Direct color selection for 18 preset colors
- The device is cooled by cooling fan
- Control via stand-alone; sound to light via microphone; master/slave function
- Fixtures available for Light J; LED PC-Control 512; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; Light Captain; Colorchief
- Flicker-free
- With mounting bracket
- 4 digit 7-segment LED display
- For application areas such as: Decoration; mobile djs / entertainer; party room
- Application possibility: Suspended; on stand
- <p>ROADINGER TDV-1 Universal Case Pick
- <h2 class="featureSatz">Universal case with flexible foam dividers</h2>With dividers
- High-quality workmanship with plastic 3 mm, black, imprinted
- Interior with foam padding
- Aluminum profile frames 12mm with rounded edges
- Rugged carrying handle
- 3 chrome tip-over locks
- 2 high-quality spring locks with shut-off function
- For further information about this product, please refer to the Data Sheet under "Downloads"

### Logistic

EAN / GTIN: 4026397663525

Weight: 7,50 kg

Length: 0.82 m

Width: 0.41 m

Height: 0.52 m

## Technical specifications:

---

Weight: 6.01 kg

---

### EUROLITE LED PARty Spot

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	15 W
IP classification:	IP20
Protection class:	Protection class II
Power connection:	Fixed power supply cord with Euro plug
Cable construction:	2 x 0.75 mm <sup>2</sup> H03VVH2-F
Cable length:	Approx. 0.9 m
Lamp type:	LED lamp
LED type:	12 x 1 W SMD 8072 R/G/B/W
DMX channels:	6
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	1 x cooling fan
Control:	Stand-alone; sound to light via microphone; master/slave function
Fixtures available for:	Light J; LED PC-Control 512; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; Light Captain; Colorchief
Projection:	Flicker-free
Beam angle (1/2 peak):	10°
Housing color:	Black
Attachment system:	Mounting bracket
Display type:	4 digit 7-segment LED display
Dimensions:	Width: 15 cm Depth: 9 cm Height: 16 cm
Weight:	0.43 kg
Noise classification:	Class 2 (slight noise)
Diameter mounting holes:	1 x Ø12mm; 2 x Ø8mm
Material:	Metal, 1 mm, painted
Color:	Black, matte
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

### ROADINGER TDV-1 Universal Case Pick

Maximum load: 25 kg

---

Aluminum profile frames:	12 mm
Carrying handle:	1 pc/pcs
Stop hinge:	3 pc/pcs
Lock:	Spring lock: 2 pc/pcs with shut-off function
Material:	Plastic, 3 mm
Color:	Black, imprinted
Inside dimensions:	52 cm x 28.5 cm x 20 cm
Dimensions:	Width: 54 cm Depth: 31 cm Height: 26 cm
Weight:	3.45 kg

### **Scope of delivery:**

---

#### **6 x EUROLITE LED PARty Spot**

1 x light effect  
1 x mounting bracket  
2 x screw  
2 x washer  
1 x user manual

#### **1 x ROADINGER TDV-1 Universal Case Pick**

1 x case