

OMNITRONIC Set COMBO-160BT Active PA System + UWM-2HH USB WirekessdMicoSet4

Portable 160 W PA system with Bluetooth including compatible wireless Mic Set




GTIN:





•



incl. 19% VAT.

Features:

Logistic

OMNITRONIC COMBO-160BT Active PA System

Portable 160 W PA system with Bluetooth

0

- Ultra-portable all-in-one PA system for mobile live and DJ applications
- Detachable 6-channel power mixer with built-in MP3 player
- Dual Class D amplifier (2 x 80 W RMS)
- 2 full-range speaker systems, each with 20 cm woofer and 25 mm tweeter, bass reflex system and flange for speaker stands
- 2 mono inputs mic/line with 2-band EQ and adjustable reverb
- Volume control per channel
- Adjustable monitor output
- Master level control with limiter indication
- UWM-2HH USB dongle with 2 wireless microphones available as accessory
- Control via Bluetooth
- Bluetooth: operating range up to 10m
- With accessory compartment
- For application areas such as: Mobile use; mobile djs / entertainer; sports centres/gyms Package contents
- 1 x user manual, 1 x declaration of conformity, 2 x speaker, 1 x amplifier, 1 x power cord, 2 x jack cable

OMNITRONIC UWM-2HH USB Wireless Mic Set with two handheld microphones

Accessory kit for compatible Omnitronic products

- Operation with fixed UHF frequencies
- Automatic pairing

- Operating range up to 30m
- UHF 863 865 MHz License-free and approved in Europe
- For application areas such as: Mobile use; mobile djs / entertainer
- Package contents
- 1 x receiver, 2 x microphone, 1 x user manual, 1 x declaration of conformity

Technical specifications:

Weight: 16,83 kg

OMNITRONIC COMBO-160BT Active PA System

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	200 W
Power:	Rated: 2x 80W RMS
Control:	Bluetooth
Range:	Bluetooth: range up to 10m
Carrier frequency:	2,4 GHz
Circuitry:	Class D Biamp
Connections:	Input: microphone via USB A (F) mounting version
	Input: mic/line via 2 x 3-pin XLR/6.35mm jack (F) combination socket (mounting version)
	Input: line via 2 x 6.3 mm jack socket (mono) mounting version
	Input: line via 1 x stereo RCA
	Input: line via 1 x 3.5 mm jack (stereo) mounting version
	Output: speaker via 2 x 6.3 mm jack socket (stereo) mounting version
	Output: line via 1 x stereo RCA
Channels:	, channel control via rotary dial, 2-band tone control EQ ±6dB at 70Hz/13kHz
Max. level:	Input: microphone -14 dBu
USB port:	1 x type A
Dimensions:	Width: 67 cm
	Depth: 31 cm
	Height: 46 cm
Weight:	16,50 kg
Speaker	
Speaker:	1 x woofer 8"
	Horn 1"
Dimensions:	Width: 30 cm
	Depth: 26 cm
	Height: 46 cm
Weight:	5,85 kg

OMNITRONIC UWM-2HH USB Wireless Mic Set with two handheld microphones

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Туре:	Wireless set
Range:	Range up to 30m
Frequency band:	UHF 863 - 865 MHz
Frequency stability:	± 0,01 %
RF power output:	10 mW
Frequency selection:	Fixed frequencies
Weight:	0,33 kg
Receiver	
Power supply:	5V DC 500 mA
Power connection:	Mains input via USB, type A
Status LED:	Signal
Material:	Plastic
Color:	White
Dimensions:	Length: 10 cm
	Width: 3,1 cm
	Height: 1,3 cm
Weight:	0,02 kg
Microphone	
Power supply:	3V DC
Power connection:	Battery/battery pack
Capsule type:	Dynamic
Battery:	2 x Mignon (AA) (not included)
Carrier frequency:	863,3 MHz; 865 MHz
Color code:	CH A= blue, CH B= orange,
Switch:	On/off switch
Material:	Plastic
Color:	Black
Dimensions:	Length: 25 cm
	Diameter: Ø 5 cm
Weight:	0,170 kg