

EUROLITE Set 4x LED TL-4 Trusslight + Case

4x variable truss light and uplight with bright 4 x 8 W RGB+UV LED incl. case

Art. No.: 2000638

GTIN:



List price: 546.21 €

incl. 19% VAT.

Features:

EUROLITE LED TL-4 QCL RGB+UV Trusslight

Variable truss light and uplight with bright 4 x 8 W RGB+UV LED

- Compact and bright, making it perfect for truss installation
- Equipped with 4 x 8 W 4in1 LED in the colors red, green, blue and UV
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Built-in auto and music show programs
- Direct color selection for 18 preset colors
- Functions: static colors, stepless RGB+UV color mixture, internal programs, dimmer, strobe effect with variable speed, Master/Slave operation
- Flicker-free projection
- Supports QuickDMX - the wireless DMX system from Eurolite
- Built-in phantom-powered USB port for QuickDMX receivers (accessories)
- DMX control via any standard DMX controller
- Addressing via control panel with 4-digit LED display
- Convenient wireless control via included IR remote control EUROLITE IR-7
- Ideal for booth construction, stages and anywhere trussing is used
- Perfect for ALUTRUSS 4-POINT SYSTEM QUADLOCK
- Hanging as well as standing installation possible
- M10 threaded insert for suspended installation
- Folding foot adjustable in 5 steps for flexible placement
- Additional rubber feet when the spot shall be positioned on the floor
- IEC terminals for power linking up to 8 units
- Switch-mode power supply for operation between 100 and 240 volts
- LED: 4 x high-power 8 W 4in1 QCL RGB/UV (homogenous color mix)
- Can be operated in 3; 4; 8 CH mode
- The device is cooled by passive convection

Logistic

- Controlling by DMX; QuickDMX via USB (optional); Sound to light via Microphone; IR remote control included
- Is in Light J Software; EUROLITE LED PC-Control 512 software; EASY SHOW; LED EASY OPERATOR DELUXE already preprogrammed

ROADINGER Universal Case Pick TDV-1

Universal case with flexible foam dividers

- Individual separation of the interior via flexible foam dividers
- Interior upholstered with foam (4 mm)
- Provides optimal protection for delicate equipment such as camera lenses
- Perfectly suitable for the clear storage of cables
- High-quality workmanship with 3 mm wood
- Black structured surface
- Aluminum profile frames (12 mm)
- Three-leg, small-sized steel corners
- 2 spring locks (chromed), supplied with 2 keys
- Rugged plastic carrying handle
- With Divider

Technical specifications:

Weight: 9,69 kg

EUROLITE LED TL-4 QCL RGB+UV Trusslight

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	15 W
IP classification:	IP20
LED:	4 x high-power 8 W 4in1 QCL RGB/UV (homogenous color mix)
Flash rate:	0 - 20 Hz
DMX channels:	3; 4; 4; 8
DMX input:	1 x USB, type A 1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Cooling:	Passive convection
Control:	DMX; QuickDMX via USB (optional); Sound to light via Microphone; IR remote control included; Light J Software; EUROLITE LED PC-Control 512 software; EASY SHOW; LED EASY OPERATOR DELUXE
Beam angle:	13°
Beam angle (1/2 peak):	13°
Beam angle (1/10 peak):	30°
Housing color:	Black
Dimensions:	Length: 15,5 cm Width: 14,5 cm Height: 13,0 cm
Weight:	1,56 kg
Noise classification:	Class 0 (no noise at all)

Legal specifications

Special product: Not designed for household room illumination

intended use: show effect lighting

ROADINGER Universal Case Pick TDV-1

Maximum load: 25 kg

Material: Birch multiplex, 3 mm

Color: Black, laminated

Inside dimensions: 52 cm x 28,5 cm x 20 cm

Dimensions: Width: 54 cm
Depth: 31 cm
Height: 26 cm

Weight: 3,45 kg
