

EUROLITE Set 4x LED SLS-7 HCL Floor white + Case

4x flat LED spotlight with RGBAW+UV color mixing in white including case

Art. No.: 2000658

GTIN: 4026397670950



List price: 534.31 €

incl. 19% VAT.

Features:

EUROLITE LED SLS-7 HCL Floor white

Flat LED spotlight with RGBAW+UV color mixing, incl. IR remote control

- Slim design for space-saving applications
- 7 high-power 10 W RGBAW/UV LEDs (6in1)
- Enjoy perfect solid and pastel colors plus ultra violet thanks to 6-color mixing
- Built-in auto and music show programs
- Direct color selection for 19 preset colors
- Stepless RGBAW/UV color blend, color change, color fade, dimmer and strobe effect
- Addressing and setting via control panel with 4-digit LED display
- Convenient wireless control via included IR remote control EUROLITE IR-7
- Flat, lightweight ABS housing with rubber feet
- Sits flat on the floor or inside a truss
- DMX and power terminals intelligently designed for easy wiring
- Swivel mounting bracket
- Additional bracket for floor use
- IEC terminals for power linking up to 8 units
- White or black housing available
- LED: 7 x high-power 10 W 6in1 HCL RGBAW/UV (homogenous color mix)
- Can be operated in 2; 3; 4; 6; 10 CH mode
- The device is cooled by cooling fan
- Controlling by IR remote control; Stand-alone; Sound to light via Microphone; DMX; Master/slave function
- Is in EASY SHOW; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light J Software already preprogrammed
- Flicker-free projection
- Effect: Strobe effect; UV effect

Logistic

EAN / GTIN: 4026397670950

Weight: 10,50 kg

Length: 0.82 m

Width: 0.41 m

Height: 0.45 m

ROADINGER Universal Case Pick TDV-1

Universal case with flexible foam dividers

- Individual separation of the interior via flexible foam dividers
- Interior upholstered with foam (4 mm)
- Provides optimal protection for delicate equipment such as camera lenses
- Perfectly suitable for the clear storage of cables
- High-quality workmanship with 3 mm wood
- Black structured surface
- Aluminum profile frames (12 mm)
- Three-leg, small-sized steel corners
- 2 spring locks (chromed), supplied with 2 keys
- Rugged plastic carrying handle
- With Divider

Technical specifications:

Weight: 8,97 kg

EUROLITE LED SLS-7 HCL Floor white

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	20 W
IP classification:	IP20
Power connection:	Mains input IEC connector (M) mounting version Power supply cord with safety plug (provided)
Power output:	1 x IEC connector (F) mounting version
Fuse:	T 0,5 A
Lamp type:	LED lamp
LED:	7 x high-power 10 W 6in1 HCL RGBWA/UV (homogenous color mix)
Flash rate:	0 - 20 Hz
DMX channels:	2; 3; 4; 6; 10
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	Cooling fan
Control:	IR remote control; Stand-alone; Sound to light via Microphone; DMX; Master/slave function; EASY SHOW; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light J Software
Beam angle:	17°
Beam angle (1/2 peak):	17°
Housing color:	White
Display type:	4 digits 7-segment LED display
Dimensions:	Width: 22 cm Depth: 11 cm Height: 21 cm
Weight:	1,38 kg

Noise classification:	Class 1 (very slight noise, suitable for noise-sensitive environments)
Remote control	
Battery:	1 x Button cell 3.0 V CR2025 lithium manganese built-in

ROADINGER Universal Case Pick TDV-1

Maximum load:	25 kg
Material:	Birch multiplex, 3 mm
Color:	Black, laminated
Inside dimensions:	52 cm x 28,5 cm x 20 cm
Dimensions:	Width: 54 cm Depth: 31 cm Height: 26 cm
Weight:	3,45 kg