

# EUROLITE Set PAR-30 Spot sil+ PAR-30 230V COB 12W E-27 LED 1800-3000KNdim20000mm

PAR-30 housing with E-27 socket including PAR-30 LED lamp with modern dim-to-warm-feature

GTIN: 4026397363197







List price: 59.38 €

incl. 19% VAT.

## Features:

#### **EUROLITE PAR-30 Spot silver**

PAR-30 housing with E27 socket (with plug + cable)

- 4 clip-to-hold clamps with spring locks for comfortable opening of the color filter frame
- Strong clamps with extension springs for safe hold and for quick opening of the rear housing cover
- Blackened tube for precise light output
- Suitable for different spot angles
- Small lighting-systems can also be realized with a small budget
- Control via plug and play
- With mounting bracket
- For PAR 30
- For application areas such as: Advertisement/Shop window; decoration; clubs/dancing school

## Package contents

- 1 x spotlight, 1 x filter frame, 1 x user manual

#### OMNILUX PAR-30 230V COB 12W E-27 LED 1800k-3000k dim2warm

PAR-30 LED lamp with modern dim-to-warm feature

- Dimming behavior comparable with incandescent and halogen lamps (dim-to-warm)
- Changes the light color from 3000 K (warm white) to 1800 K (extra warm white) when dimming
- Creates particularly cosy atmospheres
- Easy lamp replacement
- Energy-savingDimmable
- Easy installation

## Logistic

EAN / GTIN: 4026397363197

Weight: 1,00 kg Length: 0.30 m Width: 0.22 m Heigth: 0.21 m

- Variable color temperature 1800 K 3000 K
- Very high color rendering index (CRI)

## **Technical specifications:**

Weight:	0,61 kg
Energy efficiency class (A - G):	F

## **EUROLITE PAR-30 Spot silver**

Power consumption:  IP classification:  IP classification:  Protection class:  Protection class I  Power connection:  Cable length:  Base:  E27  Lamp type:  Color generation:  Control:  Construction:  PAR-30  Housing color:  Attachment system:  Material:  Slot for spot length:  Dimensions:  Weight:  Material:  Aluminum  Max. 100 W  IP 20  Protection class I  Prote	Power supply:	230 V AC, 50 Hz
Protection class: Protection class I Power connection: Fixed power supply cord with safety plug Cable length: Approx. 0,4 m  Base: E27 Lamp type: Selectable Color generation: Via color filter frame Control: Plug and play Construction: PAR-30 Housing color: Silver Attachment system: Mounting bracket Material: Aluminum Slot for spot length: 12,8 cm x 12,8 cm Uidth: 14,5 cm Height: 21 cm Weight: 0,47 kg Mounting bracket Material: Aluminum Filter frame Material: Aluminum Filter frame Material: Aluminum  Filter frame Material: Aluminum  Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Power consumption:	Max. 100 W
Power connection:  Fixed power supply cord with safety plug  Cable length:  Approx. 0,4 m  Base:  E27  Lamp type:  Selectable  Color generation:  Via color filter frame  Control:  Plug and play  Construction:  PAR-30  Housing color:  Silver  Attachment system:  Mounting bracket  Material:  Aluminum  Slot for spot length:  Dimensions:  Length: 23,5 cm Width: 14,5 cm Height: 21 cm  Weight:  Mounting bracket  Material:  Aluminum  Filter frame  Material:  Aluminum  Filter frame  Material:  Aluminum  Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	IP classification:	IP20
Cable length:  Base:  E27  Lamp type:  Selectable  Color generation:  Via color filter frame  Control:  Plug and play  Construction:  PAR-30  Housing color:  Attachment system:  Mounting bracket  Material:  Aluminum  Slot for spot length:  Dimensions:  Length: 23,5 cm Width: 14,5 cm Height: 21 cm  Weight:  Material:  Aluminum  Filter frame  Material:  Aluminum  Filter frame  Material:  Aluminum  Length: 12,6 cm Width: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Protection class:	Protection class I
Base: E27  Lamp type: Selectable  Color generation: Via color filter frame  Control: Plug and play  Construction: PAR-30  Housing color: Silver  Attachment system: Mounting bracket  Material: Aluminum  Slot for spot length: 12,8 cm x 12,8 cm  Dimensions: Length: 23,5 cm  Width: 14,5 cm  Height: 21 cm  Weight: 0,47 kg  Mounting bracket  Material: Aluminum  Filter frame  Material: Aluminum  Filter frame  Material: Aluminum  Dimensions: Length: 12,6 cm  Width: 12,6 cm  Diameter: Ø 9,4 cm	Power connection:	Fixed power supply cord with safety plug
Lamp type:  Color generation:  Via color filter frame  Control:  Plug and play  Construction:  PAR-30  Housing color:  Attachment system:  Mounting bracket  Material:  Aluminum  Slot for spot length:  Dimensions:  Length: 23,5 cm Width: 14,5 cm Height: 21 cm  Weight:  0,47 kg  Mounting bracket  Material:  Aluminum  Filter frame  Material:  Aluminum  Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Cable length:	Approx. 0,4 m
Color generation:  Control:  Plug and play  Construction:  PAR-30  Housing color:  Attachment system:  Mounting bracket  Material:  Dimensions:  Weight:  Material:  Aluminum  Weight:  Aluminum  Weight:  Aluminum  Construction:  PAR-30  Mounting bracket  Mounting bracket  Aluminum  Length: 23,8 cm  Width: 14,5 cm  Height: 21 cm  Weight:  O,47 kg  Mounting bracket  Material:  Aluminum  Filter frame  Material:  Aluminum  Dimensions:  Length: 12,6 cm  Width: 12,6 cm  Diameter: Ø 9,4 cm	Base:	E27
Control: Plug and play  Construction: PAR-30  Housing color: Silver  Attachment system: Mounting bracket  Material: Aluminum  Slot for spot length: 12,8 cm x 12,8 cm  Dimensions: Length: 23,5 cm Width: 14,5 cm Height: 21 cm  Weight: 0,47 kg  Mounting bracket  Material: Aluminum  Filter frame  Material: Aluminum  Dimensions: Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Lamp type:	Selectable
Construction:  PAR-30  Housing color:  Attachment system:  Material:  Slot for spot length:  Dimensions:  Length: 23,5 cm Width: 14,5 cm Height: 21 cm  Weight:  Material:  Aluminum  Veight:  Aluminum  Length: 23,5 cm Width: 14,5 cm Height: 21 cm  Unique spot length:  Length: 23,5 cm Width: 14,5 cm Height: 21 cm  Unique spot length:  Length: 21 cm  Length: 23,5 cm Width: 14,5 cm Height: 21 cm  Unique spot length: 21 cm  Unique spot length: 21 cm  Unique spot length: 21 cm  Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Color generation:	Via color filter frame
Housing color:  Attachment system:  Mounting bracket  Material:  Aluminum  Slot for spot length:  12,8 cm x 12,8 cm  Dimensions:  Length: 23,5 cm  Width: 14,5 cm  Height: 21 cm  Weight:  0,47 kg  Mounting bracket  Material:  Aluminum  Filter frame  Material:  Aluminum  Dimensions:  Length: 12,6 cm  Width: 12,6 cm  Diameter: Ø 9,4 cm	Control:	Plug and play
Attachment system:  Material:  Aluminum  Slot for spot length:  Dimensions:  Length: 23,5 cm Width: 14,5 cm Height: 21 cm  Weight:  Material:  Aluminum  Filter frame  Material:  Aluminum  Dimensions:  Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Construction:	PAR-30
Material:  Slot for spot length:  12,8 cm x 12,8 cm  Length: 23,5 cm Width: 14,5 cm Height: 21 cm  Weight:  0,47 kg  Mounting bracket  Material:  Aluminum  Filter frame  Material:  Aluminum  Dimensions:  Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Housing color:	Silver
Slot for spot length:  Dimensions:  Length: 23,5 cm Width: 14,5 cm Height: 21 cm  Weight:  0,47 kg  Mounting bracket  Material:  Aluminum  Filter frame  Material:  Aluminum  Dimensions:  Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Attachment system:	Mounting bracket
Dimensions:  Length: 23,5 cm Width: 14,5 cm Height: 21 cm  Weight:  0,47 kg  Mounting bracket  Material:  Aluminum  Filter frame  Material:  Aluminum  Dimensions:  Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Material:	Aluminum
Width: 14,5 cm Height: 21 cm  Weight: 0,47 kg  Mounting bracket  Material: Aluminum  Filter frame  Material: Aluminum  Dimensions: Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Slot for spot length:	12,8 cm x 12,8 cm
Height: 21 cm  Weight: 0,47 kg  Mounting bracket  Material: Aluminum  Filter frame  Material: Aluminum  Dimensions: Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Dimensions:	Length: 23,5 cm
Weight: 0,47 kg  Mounting bracket  Material: Aluminum  Filter frame  Material: Aluminum  Dimensions: Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm		Width: 14,5 cm
Mounting bracket  Material: Aluminum  Filter frame  Material: Aluminum  Dimensions: Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm		Height: 21 cm
Material:  Filter frame  Material:  Aluminum  Dimensions:  Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Weight:	0,47 kg
Filter frame  Material:  Aluminum  Dimensions:  Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Mounting bracket	
Material:  Dimensions:  Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm	Material:	Aluminum
Dimensions:  Length: 12,6 cm  Width: 12,6 cm  Diameter: Ø 9,4 cm	Filter frame	
Width: 12,6 cm Diameter: Ø 9,4 cm	Material:	Aluminum
Diameter: Ø 9,4 cm	Dimensions:	Length: 12,6 cm
		Width: 12,6 cm
Weight: 0,018 kg		Diameter: Ø 9,4 cm
	Weight:	0,018 kg

## OMNILUX PAR-30 230V COB 12W E-27 LED 1800k-3000k dim2warm

Operating voltage:	230
Nominal wattage:	12 W
Base:	E27
Lamp type:	LED lamp; reflector lamp

Lamp specification:	Dimmable
Beam angle:	24°
Setup:	Easy installation
Color of light:	White
Color temperature:	1800K - 3000K adjustable
Color rendering index (CRI):	96 Ra
Construction:	PAR-30
Operating temperature max.:	40° C
Operating temperature min.:	20° C
Lamp life:	15000 h
Luminous flux:	960 lm
Wavelength:	640 nm
Weight:	0,14 kg
Photobiological safety:	Risk Group 1
Energy efficiency class (A - G):	F
EPREL-Nr:	963473