

# eurolite®

---

## Set 4x PAR-20 Spot bk dim2warm + EDX-4 DMX RDM LED Dimmer Pack

Art. No.: 20000695

GTIN: 4026397366594



# eurolite®

---

## Set 4x PAR-20 Spot bk dim2warm + EDX-4 DMX RDM LED Dimmer Pack

Art. No.: 20000695

GTIN: 4026397366594

### Features:

---

#### EUROLITE PAR-20 Spot black

PAR-20 housing with E27 socket (with plug + cable)

- 4 clip-to-hold clamps with spring locks for comfortable opening of the color filter frame
- Strong clamps with extension springs for safe hold and for quick opening of the rear housing cover
- Blackened tube for precise light output
- Strong cable tension relief
- Control via plug and play
- With mounting bracket
- Available in various colors
- For PAR 20
- For application areas such as: Clubs/dancing school; decoration; Trade fair and shop fitting; party room; restaurants, bars and hotels; advertisement/Shop window
- Silent operation

**OMNILUX PAR-20 230V COB 6W E-27 LED 1800k-3000k dim2warm**

- PAR-20 LED lamp with modern dim-to-warm feature
- Dimming behavior comparable with incandescent and halogen lamps (dim-to-warm)
  - Changes the light color from 3000 K (warm white) to 1800 K (extra warm white) when dimming
  - Creates particularly cosy atmospheres
  - Easy lamp replacement
  - Energy-saving
  - Dimmable
  - Easy installation
  - Variable color temperature 1800 K - 3000 K
  - Very high color rendering index (CRI)

#### **EUROLITE EDX-4 DMX RDM LED Dimmer Pack**

- 4-channel dimmer for LED lights with 230 V operation
- Trailing edge dimmer with 4 channels
  - Max. channel load 200 watts
  - Independent DMX addressing per channel possible
  - Dimmer or switch operation
  - 4 channel faders for control on the device
  - Note: Only suitable for LED - not for conventional light bulbs
  - 16 integrated show programs
  - Control via RDM; stand-alone; sound to light via microphone; DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
  - With rigging points
  - LCD display
  - Silent operation