

# eurolite®

---

## Set 4x PAR-30 Spot sw dim2warm + EDX-4 DMX RDM LED Dimmer pack

Art. No.: 20000696  
GTIN: 4026397366600



**List price: 422.45 €**  
incl. 19% VAT.

# eurolite®

---

## Set 4x PAR-30 Spot sw dim2warm + EDX-4 DMX RDM LED Dimmer pack

Art. No.: 20000696  
GTIN: 4026397366600

### Features:

---

#### EUROLITE PAR-30 Spot black

PAR-30 housing with E27 socket (with plug + cable)

- 4 clip-to-hold clamps with spring locks for comfortable opening of the color filter frame
  - Strong clamps with extension springs for safe hold and for quick opening of the rear housing cover
  - Blackened tube for precise light output
  - Suitable for different spot angles
  - Small lighting-systems can also be realized with a small budget
  - Control via plug and play
  - With Mounting bracket
  - For PAR 30
  - For application areas such as: Advertisement/Shop window; Decoration; Clubs/dancing school
- Package contents
- 1 x spotlight, 1 x mounting bracket, 1 x filter frame, 1 x user manual

**OMNILUX PAR-30 230V COB 12W E-27 LED 1800k-3000k dim2warm**

- PAR-30 LED lamp with modern dim-to-warm feature
- Dimming behavior comparable with incandescent and halogen lamps (dim-to-warm)
  - Changes the light color from 3000 K (warm white) to 1800 K (extra warm white) when dimming
  - Creates particularly cosy atmospheres
  - Easy lamp replacement
  - Energy-saving
  - Dimmable
  - Variable color temperature 1800 K - 3000 K
  - Easy installation
  - Very high color rendering index (CRI)

#### **EUROLITE EDX-4 DMX RDM LED Dimmer Pack**

- 4-channel dimmer for LED lights with 230 V operation
- Trailing edge dimmer with 4 channels
  - Max. channel load 200 watts
  - Independent DMX addressing per channel possible
  - Dimmer or switch operation
  - 4 channel faders for control on the device
  - Note: Only suitable for LED - not for conventional light bulbs
  - 16 integrated show programs
  - Control via RDM; stand-alone; Sound to light via Microphone; DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
  - With rigging points
  - LCD display
  - Silent operation