

OMNITRONIC Set Podcast 1

Recording-Mixer, Headphones, dynamic microphone, table microphone stand and pop filter

Art. No.: 2000701

GTIN: 4026397170481



Features:

- Built-in USB audio interface allows recordings and playback of digital audio files with a computer (PC and Mac)
 - Full duplex USB port allows simultaneous recording and playback
 - 1 mono input channel with gain control, 2-band EQ and pan control, clip LED
 - 1 stereo input channel with level control, 2-band EQ and balance control
 - Tape input and output
 - 3.5 mm stereo master output
 - Adjustable headphones output
 - +20 V phantom power, permanent
 - Clip LED
 - Rugged, compact metal housing
- mixer**
- Desktop console housing
 - <p>OMNITRONIC SHP-900 Monitoring Headphones
 - <h2 class="featureSatz">High-quality monitor stereo headphones</h2>Closed, circumaural, dynamic stereo headphones
 - Very good attenuation of background noise makes them especially suitable for use as monitoring headphones in a noisy environment, film and theater applications, DJ or recording applications
 - Very high output power
 - Powerful 45 mm neodymium magnet and HQ voice coil
 - Enhanced frequency response tuned to deliver high-output bass with extended highs
 - Well-padded, adjustable leatherette headband
 - Soft circumaural ear pads
 - Optimal wearer-comfort due to single OFC cable
 - Gold-plated 3.5 mm stereo jack with 6.3 mm adapter

Logistic

EAN / GTIN: 4026397170481
Weight: 3,00 kg
Length: 0.41 m
Width: 0.31 m
Height: 0.28 m

- For application areas such as: Mobile djs / entertainer; homerecording and studios
- <p>OMNITRONIC Partymic-1 Dynamic Microphone
- <h2 class="featureSatz">Simple dynamic microphone including XLR/jack cable</h2>Polar pattern: Cardioid
- For application areas such as: Party room
- <p>OMNITRONIC KS-4 Table Microphone Stand
- <h2 class="featureSatz">Compact table stand, can be retracted, extendable from 105-155 mm</h2>For microphons included holder
- Three detachable feet
- Height universally adjustable
- Adjustable height
- <p>OMNITRONIC Microphone-Pop Filter, black
- <h2 class="featureSatz">Microphone pop filter for studio applications</h2>Front screening
- Fine wire mesh, d=155 mm
- Flexible gooseneck, 33 cm
- Solid metal version
- Stand screw clamp for all conventional stands with a diameter of up to 22 mm

Technical specifications:

Weight: 1.75 kg

OMNITRONIC MRS-502USB Recording Mixer

Power consumption:	2.50 W
Frequency range:	20 - 20000 Hz
S/N ratio:	>81 dB
THD:	<0.05 % at 1 kHz
Phantom power:	20 V DC
Control elements:	Power switch, source selector
Status LED:	Clip, power
Connections:	Input: microphone via 1 x 3-pin XLR/6.35mm jack (F) combination socket (mounting version) Input: line via 1 x stereo RCA 0.15 V Input: line via 1 x stereo RCA 0.42 V Output: line via 1 x stereo RCA 2 V Output: line via 1 x 3.5 mm jack (stereo) mounting version 6 V Output: headphones via 1 x 3.5 mm jack (stereo) mounting version 2 V
Channels:	Microphone channel: 1 x mono via XLR or jack, channel control via rotary dial, 2-band tone control EQ 80Hz/12kHz, gain control, panoramacontrol Input channel: 1 x stereo with line-USB switch via RCA or USB, channel control via rotary dial, 2-band tone control EQ 80Hz/12kHz, balancecontrol Master output: 1 x stereo via jack, channel control via rotary dial Headphones output: 1 x stereo via jack, channel control via rotary dial
USB port:	USB 2.0, type B
Dimensions:	Width: 10.3 cm

	Depth: 14.8 cm
	Height: 4.7 cm
Weight:	0.53 kg
Power supply:	5V 500 mA
Power connection:	Mains input via USB, type B power supply cord with AC adapter (provided)
Housing color:	Black
Material:	Metal
Housing design:	Desktop console housing
Power supply:	100-240 V AC, 50/60 Hz

OMNITRONIC SHP-900 Monitoring Headphones

Cable length:	Approx. 3 m
Frequency range:	10 - 26000 Hz
Sensitivity:	98 dB
Rated power:	1800 mW
Impedance:	40 Ohm
Connector type:	6.3 mm jack (stereo); 3.5 mm jack (stereo)
Connections:	Headphones via 6.3 mm jack (stereo) Headphones via 3.5 mm jack (stereo)
Speaker:	1.75" with neodymium magnet
Transducer type:	Dynamic
Type (headphones):	Closed, earenclosing
Weight:	0.34 kg

OMNITRONIC Partymic-1 Dynamic Microphone

Type:	Vocal microphone; microphone for instruments
Cable length:	3.3 m
Capsule type:	Dynamic
Polar pattern:	Cardioid
Frequency range:	50 - 13000 Hz
Impedance:	600 Ohm
Connections:	3-pin XLR 6.3 mm plug (unbal.)
Input sensitivity:	-55 dB
Transducer type:	Dynamic
Switch:	On/off switch
Dimensions:	Length: 18 cm Diameter: Ø 5 cm
Weight:	0.32 kg

OMNITRONIC KS-4 Table Microphone Stand

Height:	Maximum: 19 cm Minimum: 14 cm
Type (general stands):	Microphone stand (desk)
Material:	Aluminum casting; steel
Color:	Black
Base area:	Ø 22 cm
Weight:	0.16 kg

OMNITRONIC Microphone-Pop Filter, black

Type (general stands):	Accessory
Color:	Black
Weight:	0.41 kg

Scope of delivery:

1 x OMNITRONIC MRS-502USB Recording Mixer

- 1 x mixer
- 1 x external mains adapter
- 1 x USB cable
- 1 x user manual

1 x OMNITRONIC SHP-900 Monitoring Headphones

- 1 x headphones
- 1 x bag

1 x OMNITRONIC Partymic-1 Dynamic Microphone

- 1 x microphone
- 1 x jack cable

1 x OMNITRONIC KS-4 Table Microphone Stand

- 1 x stand
- 1 x holder
- 1 x adapter

1 x OMNITRONIC Microphone-Pop Filter, black

- 1 x filter