

EUROLITE Set LED SL-160 + STV-250

Follow spot with cold white 160 W LED including follow stand

Art. No.: 20000747

GTIN: 4026397682410



List price: 1783.81 €

incl. 19% VAT.

Features:

EUROLITE LED SL-160 Search Light

Follow spot with cold white 160 W LED for small to medium distances

- Comfortable control via control panel with buttons and faders
- 1 powerful LED 160 W COB (chip-on-board) cold white (CW)
- Focus manual; iris stepless
- The device is cooled by cooling fan
- Control via stand-alone
- With a beam angle of 10°
- With mounting bracket
- Dimmer electronic; CTO correction filter adjustable
- Strobe effect
- Suitable for a range of use from 5 to 20 meters
- Color wheel with 5 dichroic filters plus open
- For application areas such as: Wedding/gala/events; stage; theater; rental
- Application possibility: Suspended; on stand

Package contents

- 1 x spotlight, 1 x user manual, 1 x power cord, 1 x mounting bracket, 1 x hex key

Logistic

EAN / GTIN: 4026397682410

Weight: 21,00 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

EUROLITE STV-250 Follow Spot Stand, black

PRO follow stand for mobile lighting systems

- Heavy-duty stainless steel version for extra stability and safety
- Tripod legs made of stainless steel
- Tripod legs with optional slant for uneven surfaces
- Easy handling

- Safety ring for height adjustment
- Extra-big, rubberized star knob screw
- Adjustable height
- With Multi-angle ball head bracket with stainless steel rod

Package contents

- 1 x stand, 1 x user manual

Technical specifications:

Weight:	18,30 kg
---------	----------

EUROLITE LED SL-160 Search Light

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	230 W
IP classification:	IP20
Power connection:	Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided)
Lamp type:	LED lamp
LED type:	1 x 160 W COB (chip-on-board) cold white (CW)
Equipment:	Focus manual; iris stepless
Color generation:	Color wheel with 5 dichroic filters plus open
Cooling:	Cooling fan
Control:	Stand-alone
Beam angle:	10°
Beam angle (1/2 peak):	10°
Color temperature:	3200K; 4500K; 5600K
Housing color:	Black matte
Attachment system:	Mounting bracket
Material:	Aluminum casting; metal
Range of use:	- 20m
Dimensions:	Length: 60 cm Width: 27,5 cm Height: 31,5 cm
Weight:	9,85 kg
Noise classification:	Class 2 (slight noise)
Power cord	
Cable construction:	3 x 1,5 mm² H05VV-F
Cable length:	Approx. 1,4 m
Mounting bracket	
Diameter mounting holes:	3 x Ø13mm; 2 x Ø16mm
Material:	Aluminum casting, 4 mm
Color:	Black, matte
Hex key	

Material:	Steel
Color:	Silver
Dimensions:	Length: 8,5 cm Width: 0,6 cm
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EUROLITE STV-250 Follow Spot Stand, black

Maximum carrying capacity:	50 kg
Height:	Maximum: 170 cm Minimum: 95 cm
Attachment system:	M10 thread Multi-angle ball head bracket with stainless steel rod
Type (general stands):	Light stand/manual
Material:	Aluminum; stainless steel
Color:	Black
Base area:	Ø 1,12 cm
Transport dimensions:	13 cm x 14 cm x 105 cm
Weight:	8,45 kg