ALUTRUSS Set QUADLOCK Truss stand 100cm + Wooden panel

Set with stand for speakers and light effect devices, height 100cm

Art. No.: 20000754

GTIN: 4026397108576

List price: 593.81 €

incl. 19% VAT.

Features:

ALUTRUSS Wooden Panel 490x490x30mm cable bushing

- Made in Germany

ALUTRUSS QUADLOCK 6082-1000 4-Way Cross Beam

4-point truss system

- Strong EN-AW 6082 alloy for high loads
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Distance center - center: 240 mm
- Easy installation
- Trusspipe: 50 mm
- TÜV Süd certified
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school
- For further information about this product, please refer to the Data Sheet under "Downloads"
  Package contents
- 1 x connection Set

EUROLITE Truss Cover 100cm white

Flexible truss cover

- Best suited for reproducing light projections
- Extremely stretchable cloth
- Washable (needs to be treated with flame retardant spray afterwards)

Logistic

EAN / GTIN: 4026397108576
Weight: 17,00 kg
Length: 0.00 m
Width: 0.00 m
Heigth: 0.00 m

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

- Suitable for all 4-point systems with 30 cm side length
- For application areas such as: Trade fair and shop fitting; Wedding/gala/events

ALUTRUSS QUADLOCK endplate QQG 50cm x 50cm

Robust truss system

- High stability
- High-quality aluminum-tubes with 50 mm in diameter
- Low weight
- Easy installation as the cross-beams do no longer need to be srewed on
- Easy installation
- Trusspipe: 50 mm
- Made in Europe
- For application areas such as: Theater; Trade fair and shop fitting; Clubs/dancing school

ALUTRUSS QUADLOCK Halfconical Coupler w.Thread M10

- Trusspipe: 50 mm
- Made in Europe

ACCESSORY Hexagonal Screw M10x40mm

- M10 thread

Technical specifications:

Weight:	15,18 kg

ALUTRUSS Wooden Panel 490x490x30mm cable bushing

Weight:	4,24 kg

ALUTRUSS QUADLOCK 6082-1000 4-Way Cross Beam

Setup:	Easy installation
Trusspipe:	50 mm x 2 mm
Welding technique:	TIG-welding
Welding material:	AlMg 5
Alloy:	AlMgSi1 T6
Color:	Alu colored
Strut diameter x thickness:	16 x 2mm
Dimensions:	Length: 1 m Width: 29 cm Height: 29 cm
Weight:	6,60 kg

EUROLITE Truss Cover 100cm white

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Color:	White
Dimensions:	Length: 1 m
Weight:	210 g

ALUTRUSS QUADLOCK endplate QQG 50cm x 50cm

Setup:	Easy installation
Trusspipe:	50 mm
Color:	Alu colored
Weight:	3,60 kg

ALUTRUSS QUADLOCK Halfconical Coupler w.Thread M10

Trusspipe:	50 mm
Color:	Alu colored
Dimensions:	Length: 6 cm
Weight:	110 g

ACCESSORY Hexagonal Screw M10x40mm

Thread:	M10 thread
Dimensions:	Length: 4 cm
Weight:	20 g

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn
All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.