

EUROLITE Set AKKU THA-20PC TRC + Stand + Bag

Battery powered LED theater spot incl. speaker stand and matching transport bag

Art. No.: 20000796

GTIN: 4026397687392



Features:

- Two additional frost filters provide a soft, homogeneous light
- New LED technology that simulates the color temperature curve of a halogen lamp when dimming
- Rugged metal housing
- Cordless, flexible and versatile
- Battery operation up to 2h
- Integrated automatic charging of the battery and status indicator
- 1 LED 17 W COB (chip-on-board) Dim to warm (homogenous color mix)
- Dimmer electronic
- The device is cooled by passive convection cooling
- Control via stand-alone
- Flicker-free
- With a beam angle of 17°
- Very high color rendering index (CRI)
- With mounting bracket
- Rubber feet
- For application areas such as: Decoration; wedding/gala/events; video and photography; restaurants, bars and hotels
- Silent operation
- Application possibility: Suspended; on stand
- <p>OMNITRONIC Speaker Stand BOB System
- <h2 class="featureSatz">Speaker stand for BOB speakers, extendable up to 170 cm</h2>Tube diameter: Ø 30 mm
- Adjustable height
- Scratchproof and shockproof
- <p>OMNITRONIC BOB Transport Bag for Tripod/Distance Tube

Logistic

EAN / GTIN: 4026397687392

Weight: 6,00 kg

Length: 1.20 m

Width: 0.60 m

Height: 0.60 m

- ## Accessory for the BOB series

Suitable for stands and distance tubes
- Made of easy-care artificial black textile
- High-quality workmanship with textile , black

Technical specifications:

Weight: 4.75 kg

EUROLITE AKKU THA-20PC TRC Theater Spot bk

Power supply:	100-240 V AC, 50/60 Hz 15V DC 2000 mA
Pin configuration:	Inside + / outside -
IP classification:	IP20
Protection class:	Protection class III
Power connection:	Mains input via coaxial power connector (M) mounting version power supply cord with AC adapter (provided)
Battery pack type:	1 x lithium ion 11.1 V, 2600 mAh, 28.86 Wh
Battery pack:	Battery operation up to 2h Recharging time 3h
Lamp type:	LED lamp
LED type:	1 x 17 W COB (chip-on-board) Dim to warm (homogenous color mix)
Cooling:	Passive convection cooling
Control:	Stand-alone
Projection:	Flicker-free
Beam angle:	17°
Beam angle (1/2 peak):	17° Frost filter 19° Frost filter 26°
Color temperature:	3000K
Color rendering index (CRI):	92 Ra
Housing color:	Black
Attachment system:	Mounting bracket
Transport aid:	Rubber feet
Dimensions:	Length: 21 cm Width: 14.5 cm Height: 21 cm
Weight:	2.38 kg
Noise classification:	Class 0 (no noise at all)
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

OMNITRONIC Speaker Stand BOB System

Maximum carrying capacity:	14 kg
Height:	Maximum: 195 cm Minimum: 107 cm Adjustable in 6 steps with locking pin
Attachment system:	M10 thread
Type (general stands):	Speaker stand/manual
Material:	Steel
Color:	Black, painted; , scratchproof and shockproof
Main pipe diameter:	Ø 3 cm
Extension tube diameter:	Ø 2.5 cm
Weight:	2.15 kg

Locking screw M10 for STW

Weight:	0.03 kg
---------	---------

OMNITRONIC BOB Transport Bag for Tripod/Distance Tube

Material:	Textile
Color:	Black
Dimensions:	Length: 106 cm Width: 9 cm Depth: 7 cm
Weight:	0.19 kg

Scope of delivery:

1 x EUROLITE AKKU THA-20PC TRC Theater Spot bk

- 1 x spotlight
- 1 x user manual
- 1 x external mains adapter
- 1 x filter frame
- 1 x barndoor
- 2 x frost filter

1 x OMNITRONIC Speaker Stand BOB System

- 1 x stand
- 1 x user manual

1 x OMNITRONIC BOB Transport Bag for Tripod/Distance Tube

- 1 x bag