



The article is no longer in our assortment.

Features:

EUROLITE AKKU IP PAR 14 HCL QuickDMX

IP65 battery-powered spotlight with RGBWA+UV LEDs, QuickDMX, diffuser covers and IR remote control

- Integrated QuickDMX transmitter/receiver for wireless transmission of DMX512 signals
- 14 high-power 10 W RGBWA/UV LEDs (6in1)
- Suitable for external use (IP65)
- Including diffuser discs for beam angles of 15°, 27°, 30° and 60°
- Battery operation up to 26 hours (depending on program used), recharging time 3 hours
- Auto, master/slave and DMX mode
- Built-in auto show programs
- Direct color selection for 27 preset colors
- Color temperature variably adjustable 2700-8000 K
- Stepless RGBWA/UV color mixture, color change, color fade, dimmer, strobe effect with variable speed
- Dimmer speed (step response) adjustable
- Addressing and setting via control panel with 4 buttons and LCD
- Convenient wireless control via included IR remote control EUROLITE IR-7
- Swivel mounting brackets
- Additional bracket for floor use
- IP T-Con terminals for power linking up to 8 units
- Switch-mode power supply for operation between 100 and 240 volts
- LED: 14 x 10 W 6in1 HCL RGBWA/UV (homogenous color mix)
- Can be operated in 2; 3; 6-1; 6-2; 12 CH mode
- The device is cooled by passive convection
- Controlling by DMX; Stand-alone; IR remote control; Master/slave function; QuickDMX built-in
- Is in LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE already preprogrammed
- Flicker-free projection

Logistic

EAN / GTIN: 4026397689259

Weight: 37,00 kg

Length: 1.20 m

Width: 0.80 m

Height: 0.60 m

Bulky product

ROADINGER Flightcase 2x TMH-30/40/60 with wheels

PRO flightcase with castors for 2 x TMH-30/TMH-40/TMH-60

- Developed for 51785980 EUROLITE LED TMH-30 Moving-Head Spot COB, 51785996 EUROLITE LED TMH-40 Moving-Head Wash, 51785984 EUROLITE LED TMH-60 Moving-Head Spot COB or comparable Moving Heads
- Suitable for 2 units
- Interior and cover (not removable) upholstered with foam
- High-quality workmanship with multiplex birch wood, dark brown laminated
- Aluminum profile frames (30 mm) with rounded edges
- Three-leg, medium-sized steel ball corners (chrome)
- 4 castors (100 mm), 2 of which with locking brakes
- 4 stacking dishes for stacking the cases
- 2 hinges
- 2 high-quality butterfly locks
- 2 chrome case handles
- For perfect protection
- Transport aid: With wheels
- Made in Europe

Technical specifications:

Weight: 31,70 kg

EUROLITE AKKU IP PAR 14 HCL QuickDMX

Power supply:	100-240 V AC, 50/60 Hz
IP classification:	IP65
Protection class:	Class I
Power connection:	Battery/battery pack built-in IP T-Con (M) mounting version Power supply cord with safety plug (provided)
Cable length:	Approx. 1,1 m
Power output:	IP T-Con (F) mounting version
Fuse:	5 x 20 mm, T 3 A Fuse replaceable
Battery pack type:	1 x lithium ion 22,2 V, 4400 mAh, 97,68 Wh
Battery pack:	Battery operation up to 26h depending on program used Recharging time 3h
LED:	14 x 10 W 6in1 HCL RGBWA/UV (homogenous color mix)
Color temperature:	2700K - 8000K adjustable
Flash rate:	0 - 20 Hz
Equipment:	Frost filter
DMX channels:	2; 3; 6-1; 6-2; 12
DMX input:	3-pin XLR (M) mounting version IP
DMX output:	3-pin XLR (F) mounting version IP
Cooling:	Passive convection

Control:	DMX; Stand-alone; IR remote control; Master/slave function; QuickDMX built-in; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE
Beam angle:	15°
Beam angle (1/2 peak):	15° 27° 30° 60°
Housing color:	Black
Display type:	LCD display
Carrier frequency:	2,4 GHz
Dimensions:	Width: 31,7 cm Depth: 22,7 cm Height: 37,0 cm
Weight:	7,85 kg
Noise classification:	Class 0 (no noise at all)
Remote control	
Battery:	1 x Button cell 3.0 V CR2032 lithium manganese built-in
Legal specifications	
Special product:	Not designed for household room illumination
intended use:	show effect lighting

ROADINGER Flightcase 2x TMH-30/40/60 with wheels

Maximum load:	50 kg
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Compartment dimensions:	25,5 cm x 31 cm x 31 cm
Accessory compartment:	11,5 cm x 31 cm x 31 cm
Inside dimensions:	67 cm x 31 cm x 31 cm
Dimensions:	Width: 71 cm Depth: 35 cm Height: 53 cm
Weight:	16,00 kg