

EUROLITE Set DIY PAR-46 Spot E-27 + Multi adapter, 3 phases, black

DIY set for connection to 3-phase track systems

Art. No.: 20000829 GTIN: 4026397689303



The article is no longer in our assortment.

Features:

EUROLITE PAR-46 Spot E-27 bk

PAR-46 housing with E27 socket (with plug + cable)

- Rugged metal housing
- Heat-resistant fixing screw
- 4 clip-to-hold clamps with spring locks for comfortable opening of the color filter frame
- Blackened tube for precise light output
- Strong extension spring for safe hold and for quick opening of the rear housing cover
- Strong cable tension relief
- Control via plug and play
- With Mounting bracket
- For PAR 46

Package contents

- 1 x spotlight, 1 x filter frame, 1 x user manual

EUTRAC Multi adapter, 3 phases, black

Multi adapter with data bus option

- For 3~ circuit track
- Prepared for data bus contacts (data bus contact with SELV safety chip, part no. 99-698-0)
- Screw termination, approved for 6 A inductive / 6 A ohmic up to 250 V
- With earth contact, circuit selection by turnkey switch and optional neutral position during operation
- Due to double mechanical locking perfect track fixing even when using heavy spotlights
- Maximum load up to 5 kg, or 10 kg when using retaining collar 99-066-x
- Made in Germany

Logistic

EAN / GTIN: 4026397689303

Weight: 2,00 kg Length: 0.41 m Width: 0.31 m Heigth: 0.28 m

EUTRAC Retaining collar for multi adapter Ø10,5mm/ Ø13,5mm blackPackage contents

- 1 x screwing

Technical specifications:

Weight: 1,27 kg

EUROLITE PAR-46 Spot E-27 bk

| Power consumption: IP classification: Protection class: Power connection: Cable length: Base: Lamp type: Color generation: Control: Construction: Housing color: Attachment system: Material: Dimensions: | Max. 100 W IP20 Protection class I Fixed power supply cord with safety plug Approx. 0,9 m E27 Selectable Via color filter frame Plug and play PAR-46 Black Mounting bracket Aluminum, 1,5 mm |
|--|--|
| Protection class: Power connection: Cable length: Base: Lamp type: Color generation: Control: Construction: Housing color: Attachment system: Material: | Protection class I Fixed power supply cord with safety plug Approx. 0,9 m E27 Selectable Via color filter frame Plug and play PAR-46 Black Mounting bracket |
| Power connection: Cable length: Base: Lamp type: Color generation: Control: Construction: Housing color: Attachment system: Material: | Fixed power supply cord with safety plug Approx. 0,9 m E27 Selectable Via color filter frame Plug and play PAR-46 Black Mounting bracket |
| Cable length: Base: Lamp type: Color generation: Control: Construction: Housing color: Attachment system: Material: | Approx. 0,9 m E27 Selectable Via color filter frame Plug and play PAR-46 Black Mounting bracket |
| Base: Lamp type: Color generation: Control: Construction: Housing color: Attachment system: Material: | E27 Selectable Via color filter frame Plug and play PAR-46 Black Mounting bracket |
| Lamp type: Color generation: Control: Construction: Housing color: Attachment system: Material: | Selectable Via color filter frame Plug and play PAR-46 Black Mounting bracket |
| Color generation: Control: Construction: Housing color: Attachment system: Material: | Via color filter frame Plug and play PAR-46 Black Mounting bracket |
| Control: Construction: Housing color: Attachment system: Material: | Plug and play PAR-46 Black Mounting bracket |
| Construction: Housing color: Attachment system: Material: | PAR-46 Black Mounting bracket |
| Housing color: Attachment system: Material: | Black Mounting bracket |
| Attachment system: Material: | Mounting bracket |
| Material: | |
| | Aluminum, 1,5 mm |
| Dimensions: | |
| Diffictions. | Length: 30 cm |
| | Width: 20 cm |
| | Height: 27 cm |
| Weight: | 1,21 kg |
| Mounting bracket | |
| Diameter mounting holes: | 2 x Ø12mm |
| Material: | Aluminum, 4 mm |
| Filter frame | |
| Material: | Metal, 0,5 mm |
| Dimensions: | Length: 19 cm |
| | Width: 19 cm |
| | Diameter: Ø 14 cm |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

EUTRAC Multi adapter, 3 phases, black

| Power connection: | Mains input via Special connector recessed mounting |
|-------------------|---|
| Power output: | Screw terminal |
| Weight: | 50 g |

EUTRAC Retaining collar for multi adapter Ø10,5mm/ Ø13,5mm black

Weight: 10 g