

EUROLITE Set 4x AKKU TL-3 QCL RGB+UV Trusslight + Case

Art. No.: 2000853

GTIN: 4026397690880



List price: 653.31 €

incl. 19% VAT.

Features:

EUROLITE AKKU TL-3 QCL RGB+UV Trusslight

Battery-powered trusslight with RGB+UV LEDs and IR remote control

- Compact and bright
- Cordless and versatile
- 3 high-power 4 W RGB+UV LEDs (4in1)
- Ideal for booth construction, stages and anywhere trussing is used
- Ideal for ALUTRUSS DECOLOCK DQ3 3-point system
- Battery operation up to 10 hours
- Energy saving mode
- Auto, music, master/slave and DMX mode
- Sound-control via built-in microphone with adjustable microphone sensitivity
- Supports QuickDMX - the wireless DMX system from Eurolite
- Built-in phantom-powered USB port for QuickDMX receivers (accessory)
- Built-in auto and music show programs
- Direct color selection for 20 preset colors
- Color temperature 10-step adjustable from 2700-8000 K
- Stepless RGB/UV color mixture, color change, color fade, dimmer, strobe effect with variable speed, sound control, white balance
- Addressing and setting via control panel with 4-digit LED display
- Convenient wireless control via included IR remote control EUROLITE IR-7
- Threaded inserts for suspended installation
- Additional rubber feet protect the device when positioned on the floor
- IEC terminals for power linking up to 8 units
- Switch-mode power supply for operation between 100 and 240 volts
- LED: 3 x high-power 4 W 4in1 QCL RGB/UV (homogenous color mix)
- Can be operated in 2; 4; 5; 6; 9 CH mode

Logistic

EAN / GTIN: 4026397690880

Weight: 15,00 kg

Length: 0.70 m

Width: 0.27 m

Height: 0.52 m

- The device is cooled by passive convection
- Controlling by Stand-alone; DMX; IR remote control; QuickDMX via USB (optional); Sound to light via Microphone; Master/slave function
- Flicker-free projection

ROADINGER Flightcase 4x AKKU TL-3 TCL Trusslight

PRO flightcase for 4 x AKKU TL-3 TCL Trusslight

- Interior separated in four compartments, for four AKKU TL-3 TCL Trusslight
- Additional accessory compartment
- High-quality workmanship with wood, dark brown laminated
- Aluminum profile frames (25 mm) with rounded edges
- Interior upholstered with foam
- Three-leg, small-sized steel ball corners
- 2 hinges
- High-quality butterfly lock
- Case handle
- Made in Europe

Technical specifications:

Weight: 13,90 kg

EUROLITE AKKU TL-3 QCL RGB+UV Trusslight

Power supply:	100-240 V AC, 50/60 Hz
IP classification:	IP20
Protection class:	Class III
Power connection:	Battery/battery pack built-in Mains input IEC connector (M) mounting version Power supply cord with safety plug (provided)
Power output:	IEC connector (F) mounting version
Fuse:	F 1 A Fuse replaceable
Battery pack type:	1 x lithium ion 11,1 V, 2200 mAh, 24,42 Wh
Battery pack:	Battery operation up to 8h depending on program used Recharging time 2,5h
Lamp type:	LED lamp
LED:	3 x high-power 4 W 4in1 QCL RGB/UV (homogenous color mix)
Flash rate:	0 - 20 Hz
DMX channels:	2; 4; 5; 6; 9
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	Passive convection
Control:	Stand-alone; DMX; IR remote control; QuickDMX via USB (optional); Sound to light via Microphone; Master/slave function
Beam angle:	10°
Beam angle (1/2 peak):	10°

Beam angle (1/10 peak):	33°
Housing color:	Black
Dimensions:	Width: 12,22 cm Depth: 10,8 cm Height: 14,3 cm
Weight:	1,3 kg
Noise classification:	Class 0 (no noise at all); Class 0 (no noise at all)
Remote control	
Battery:	1 x Button cell 3.0 V CR2025 lithium manganese built-in
Legal specifications	
Special product:	Not designed for household room illumination
intended use:	show effect lighting

ROADINGER Flightcase 4x AKKU TL-3 TCL Trusslight

Maximum load:	25 kg
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Dimensions:	Width: 47,5 cm Depth: 24,5 cm Height: 21,5 cm
Weight:	4,50 kg