

EUROLITE Set 4x LED Theatre COB 200 RGB+WW + Case with wheels

Art. No.: 2000876

GTIN: 4026397694161



List price: 2021.81 €

incl. 19% VAT.

Features:

EUROLITE LED Theatre COB 200 RGB+WW

LED theatre spot with 200 W COB LED, RGB+WW

- Ideal for colorful light in theaters, on concert stages, clubs and many other venues
- 1 high-power RGB/WW COB LED (4in1)
- Auto, music, master/slave and DMX mode
- Built-in auto and music show programs
- Dimmer and strobe effect
- Direct color selection for 27 preset colors
- Addressing via control panel with LCD and four operating buttons
- Convenient wireless control via included IR remote control EUROLITE IR-7
- Sound-control via built-in microphone with adjustable microphone sensitivity
- Supports QuickDMX - the wireless DMX system from Eurolite
- Built-in phantom-powered USB port for QuickDMX receivers (accessories)
- 3, 4, 5, 6 or 10 DMX channels selectable
- Swivel mounting bracket
- Additional bracket for floor use
- Switch-mode power supply for operation between 100 and 240 volts
- P-Con terminals for power linking up to 8 units
- LED: 1 x COB (chip-on-board) 4in1 QCL RGB/WW (homogenous color mix)
- Can be operated in 3; 4; 5; 6; 10 CH mode
- The device is cooled by cooling fan
- Controlling by Stand-alone; IR remote control; DMX; QuickDMX via USB (optional); Master/slave function; Sound to light via Microphone
- Is in Light J Software already preprogrammed
- Flicker-free projection

Logistic

EAN / GTIN: 4026397694161

Weight: 41,00 kg

Length: 1.20 m

Width: 0.80 m

Height: 0.75 m

Bulky product

ROADINGER Flightcase 4x LED Theatre COB 200 series, with wheels

- Transport aid: With wheels
- Made in Europe

Technical specifications:

Weight: 35,84 kg

EUROLITE LED Theatre COB 200 RGB+WW

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	140 W
IP classification:	IP20
Protection class:	Class I
Power connection:	Mains input P-Con (blue), mounting version Power supply cord with safety plug (provided)
Power output:	P-Con (gray), mounting version
Lamp type:	LED lamp
LED:	1 x COB (chip-on-board) 4in1 QCL RGB/WW (homogenous color mix)
Color temperature:	1800K - 8000K adjustable
Flash rate:	0 - 20 Hz
DMX channels:	3; 4; 5; 6; 10
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	Cooling fan
Control:	Stand-alone; IR remote control; DMX; QuickDMX via USB (optional); Master/slave function; Sound to light via Microphone; Light J Software
Color rendering index (CRI) more than:	95 Ra
Beam angle:	17°
Beam angle (1/2 peak):	17°
Beam angle (1/10 peak):	35°
Housing color:	Black
Display type:	LCD display
Dimensions:	Width: 25,95 cm Depth: 20,00 cm Height: 37,65 cm
Weight:	4,11 kg
Noise classification:	Class 1 (very slight noise, suitable for noise- sensitive environments)
Remote control	

Battery: 1 x Button cell 3.0 V CR2025 lithium manganese (provided)

Legal specifications

Special product: Not designed for household room illumination

intended use: show effect lighting

ROADINGER Flightcase 4x LED Theatre COB 200 series, with wheels

Maximum load: 100 kg

Material: Birch multiplex, 6,5 mm

Accessory compartment: 10,3 cm x 46,8 cm x 35,5 cm

Dimensions: Length: 73,5 cm
Depth: 51 cm
Height: 57 cm

Weight: 19,40 kg
