



## Features:

### OMNITRONIC TRM-402 4-channel Rotary Mixer

4-channel rotary mixer with 3-band frequency isolator for DJs

- Classic rotary mixer with 4 input channels and integrated 3-band frequency isolator for DJs
- Gain control, 2-way equalizer (highs/lows) and phono/line switching per channel
- Dedicated boost and kill cut
- Kill cut feature allows DJs to completely remove low, mid and high frequencies for amazing mixing
- Classic ALPS potentiometers (Blue Velvet RK27)
- High-grade components ensure long life and excellent sound quality
- DJ microphone input with separate level control
- Prefader listening to input channels and the master output via adjustable headphones output, with cue mix/split function
- 12-digit stereo LED level meter and master level control
- Booth output with separate level control
- Dual inputs for DJ microphone and headphones on the top and front panel
- Outputs: master and booth (XLR/RCA L/R), record (stereo RCA)
- Desktop console housing
- For application areas such as: Clubs/dancing school; mobile use; mobile djs / entertainer; homerecording and studios

## Logistic

EAN / GTIN: 4026397695564

Weight: 9,00 kg

Length: 0.82 m

Width: 0.41 m

Height: 0.52 m

### ROADINGER Flightcase TRM-402

Carrying case, PRO version

- High-quality workmanship with birch multiplex 6.5 mm, dark brown, laminated
- Interior with foam padding<BR>cover with foam padding

- Removable cover
- Aluminum profile frames 22mm with rounded edges
- Rugged carrying handle
- 2 high-quality spring locks
- Rubber feet
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

---

Weight: 7.90 kg

---

### OMNITRONIC TRM-402 4-channel Rotary Mixer

Power supply: 100-240 V AC, 50/60 Hz

---

Power consumption: 7.2 W

---

Protection class: Protection class I

---

Power connection: Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)

---

Frequency range: 20 - 20000 Hz microphone  
20 - 20000 Hz line  
40 - 18000 Hz phono

---

S/N ratio: >77 dB phono  
>80 dB microphone  
>85 dB line

---

THD: Line <0.03 % at 1 kHz  
Phono <0.1 % at 1 kHz

---

Gain: Microphone 44 dB  
Line 20 dB  
Phono 60 dB to +75 dB

---

Isolators: Master Gain: - ? bis +9  
Low/mid 300 Hz, 18db/oct , Butterworth  
Mid/high 4000 Hz, 18db/oct , Butterworth

---

Control elements: Power switch, source selector, cue mix split function, tone control

---

Status LED: Power, master level meter, channel source, CUE, microphone

---

Connections: Input: line via 4 x stereo RCA  
Input: line/phono via 4 x stereo RCA  
Input: microphone via 2 x 3-pin XLR  
Output: headphones via 2 x 6.3 mm jack socket (stereo) mounting version  
Output: headphones via 2 x 3.5 mm jack (stereo) mounting version  
Output: rec. via 1 x stereo RCA  
Output: booth via 2 x 3-pin XLR  
Output: booth via 1 x stereo RCA  
Output: master via 2 x 3-pin XLR  
Output: master via 1 x stereo RCA

---

Channels:	<p>Input channel: 4 x stereo with line-line/phono switch via RCA, channel control via rotary, 2-band tone control EQ, gain control, phono gain rotary, CUE switch, source selector</p> <p>Microphone channel: 1 x mono via XLR, channel control via rotary dial, ON AIR switch</p> <p>Booth output: 1 x stereo via XLR or RCA, channel control via rotary dial</p> <p>Master output: 1 x stereo via XLR or RCA, channel control via rotary dial</p> <p>Headphones output: 1 x stereo via jack, channel control via rotary dial, cue mix split function</p>
Max. level:	Output: +22 dBu
Material:	Metal
Color:	Black
Housing design:	Desktop console housing
Dimensions:	<p>Width: 33 cm</p> <p>Depth: 24.7 cm</p> <p>Height: 10.7 cm</p>
Weight:	4.05 kg

#### **ROADINGER Flightcase TRM-402**

Maximum load:	25 kg
Removable covers:	1 pc/pcs
Aluminum profile frames:	22 mm
Carrying handle:	1 pc/pcs
Lock:	Spring lock: 2 pc/pcs
Transport aid:	Rubber feet
Use of brands:	Branded hardware
Material:	Birch multiplex, 6.5 mm
Color:	Dark brown, laminated
Device compartment:	33 cm x 23.5 cm x 4 cm
Accessory compartment:	37 cm x 6.5 cm x 4.5 cm
Inside dimensions:	37 cm x 30 cm x 4.5 cm
Dimensions:	<p>Width: 40 cm</p> <p>Depth: 37 cm</p> <p>Height: 17.5 cm</p>
Weight:	3.85 kg

#### **Scope of delivery:**

1 x device  
1 x power cord  
1 x user manual