



**List price: 1510.11 €**

incl. 19% VAT.

### Features:

#### EUROLITE LED PT-100/32 Pixel DMX Tube

DMX controlled pixel tube with RGB color mixing

- DMX and power terminals intelligently designed for easy wiring
- 96 powerful LEDs SMD 5050 3in1 TCL RGB (homogenous color mix)<BR>32 segments controlled separately
- Color change adjustable; Dimmer electronic
- Strobe effect
- Integrated show programs
- Direct color selection for 17 preset colors
- The device is cooled by passive convection cooling
- Control via stand-alone; DMX; sound to light via microphone; master/slave function
- With a beam angle of 120°
- With mounting bracket
- 4 digit 7-segment LED display
- Silent operation
- Preprogrammed in LED PC-Control 512; Light Captain
- Mains input and output for power linking up to 8 units
- For application areas such as: Clubs/dancing school; Trade fair and shop fitting; stage; restaurants, bars and hotels
- Application possibility: Suspended; wall mounting

#### Package contents

- 1 x light effect, 1 x user manual, 1 x power cord

### Logistic

EAN / GTIN: 4026397698770

Weight: 14,00 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

#### MADRIX Software 5 License start

MADRIX 5 licence "start"

- Includes 1x MADRIX 5 License "start"
- Requires a valid, empty, and metallic MADRIX KEY
- Can transmit up to 1024 DMX channels
- Compatible with Win 7, Win 8, Win 10,
- Made in Germany
- Engineered in Germany
- For further information about this product, please refer to the Data Sheet under "Downloads"

### MADRIX USB ONE DMX512 USB Interface

USB-DMX cable to send/receive DMX signals with MADRIX software

- Can receive and process up to 512 DMX channels
- Can transmit up to 512 DMX channels
- Control via DMX
- Built with NEUTRIK connector
- The device can be connected via USB to the PC in connection with MADRIX software
- Compatible with Win 7, Win 8, Win 10,
- Made in Germany
- Engineered in Germany
- For application areas such as: Clubs/dancing school; installation; stage; restaurants, bars and hotels

### MADRIX KEY

MADRIX 5 KEY - without license

- Includes an empty MADRIX KEY
- Requires a proper MADRIX 5 License to activate the features or output for the MADRIX 5 Software
- The device can be connected via USB to the PC
- Made in Germany

### Technical specifications:

---

|         |          |
|---------|----------|
| Weight: | 10,67 kg |
|---------|----------|

---

### EUROLITE LED PT-100/32 Pixel DMX Tube

|                    |                                                                                              |
|--------------------|----------------------------------------------------------------------------------------------|
| Power supply:      | 100-240 V AC, 50/60 Hz                                                                       |
| Power consumption: | 30 W                                                                                         |
| IP classification: | IP20                                                                                         |
| Power connection:  | Mains input via P-Con (blue), mounting version power supply cord with safety plug (provided) |
| Power output:      | 1 x P-Con (gray), mounting version                                                           |
| Lamp type:         | LED lamp                                                                                     |
| LED type:          | 96 x SMD 5050 3in1 TCL RGB (homogenous color mix)                                            |
| Flash rate:        | 0,25 - 11 Hz                                                                                 |
| DMX channels:      | 3; 5; 8; 48; 96                                                                              |
| DMX input:         | 3-pin XLR (M) mounting version                                                               |
| DMX output:        | 3-pin XLR (F) mounting version                                                               |
| Cooling:           | Passive convection cooling                                                                   |
| Control:           | Stand-alone; DMX; sound to light via microphone; master/slave function                       |

|                        |                                                     |
|------------------------|-----------------------------------------------------|
| Preprogrammed in:      | LED PC-Control 512; Light Captain                   |
| Beam angle:            | 120°                                                |
| Beam angle (1/2 peak): | 120°                                                |
| Housing color:         | Black                                               |
| Attachment system:     | Mounting bracket                                    |
| Display type:          | 4 digit 7-segment LED display                       |
| Dimensions:            | Length: 99,9 cm<br>Width: 5,9 cm<br>Height: 15,3 cm |
| Weight:                | 2,10 kg                                             |
| Noise classification:  | Class 0 (no noise at all)                           |
| Legal specifications   |                                                     |
| Special product:       | Not designed for household room illumination        |
| Intended use:          | Show effect lighting                                |

#### **MADRIX Software 5 License start**

|                   |                       |
|-------------------|-----------------------|
| DMX channels:     | Output 1024           |
| Weight:           | 0,00 kg               |
| Operating system: | Win 7, Win 8, Win 10, |

#### **MADRIX USB ONE DMX512 USB Interface**

|                   |                                                    |
|-------------------|----------------------------------------------------|
| Power supply:     | 5V DC 500 mA                                       |
| Power connection: | Fixed power supply cord for USB A mains connection |
| DMX channels:     | Input 512<br>Output 512                            |
| DMX output:       | 1 x 5-pin XLR (F)                                  |
| Control:          | DMX                                                |
| USB port:         | USB 2.0, type A                                    |
| Use of brands:    | Built with NEUTRIK connector                       |
| PC connect:       | MADRIX software via USB                            |
| Weight:           | 0,10 kg                                            |
| Operating system: | Win 7, Win 8, Win 10,                              |

#### **MADRIX KEY**

|                   |                                               |
|-------------------|-----------------------------------------------|
| Power connection: | Mains input via USB A (M) connectable version |
| USB port:         | Type A                                        |
| PC connect:       | Via USB                                       |
| Weight:           | 0,07 kg                                       |