

OMNITRONIC Set UHF-E4 Wireless Mic System + 4x BP + 4x Lavalier Microphone 823.6/826.1/828.6/831.1MHz

GTIN: 4026397724448



List price: 415.31 €

incl. 19% VAT.

Features:

OMNITRONIC UHF-E4 Wireless Mic System 823.6/826.1/828.6/831.1MHz

License-free 4-channel wireless microphone system

- 4-channel receiver and 4 hand-held microphones with UHF PLL technology
- Easy handling
- 4 separate channels with volume controls and LEDs for carrier signal and audio signal
- Balanced XLR output per channel
- 6.3 mm jack for mixed signal output
- Microphones with color indication
- Operating range up to 60m with line-of-sight
- UHF 823 - 832 MHz License-free and approved in large parts of Europe
- Up to 12 transmitters can be operated in parallel without interference
- For application areas such as: Clubs/dancing school; Wedding/gala/events; mobile use; mobile djs / entertainer; small rental

Receiver

- Desktop console housing
- (19") 48.3 cm rack installation possible 1 U

Microphone

- Polar pattern: Cardioid

Package contents

- 1 x receiver, 2 x antenna, 1 x external mains adapter, 4 x microphone, 1 x jack cable, 3 x mounting bracket, 3 x screw, 4 x foot, 1 x user manual, 1 x declaration of conformity

Logistic

EAN / GTIN: 4026397724448

Weight: 4,00 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

OMNITRONIC UHF-E Series Bodypack 823.6MHz + Lavalier Microphone

Bodypack transmitter with lavalier microphone for UHF-E receivers

- Sensitivity adjustable
- Operating range up to 60m with line-of-sight
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

Microphone

- Polar pattern: Cardioid

Package contents

- 1 x transmitter, 1 x microphone, 2 x battery, 1 x user manual, 1 x declaration of conformity

OMNITRONIC UHF-E Series Bodypack 826.1MHz + Lavalier Microphone

Bodypack transmitter with lavalier microphone for UHF-E receivers

- Sensitivity adjustable
- Polar pattern: Cardioid
- Operating range up to 60m with line-of-sight
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

Package contents

- 1 x transmitter, 1 x microphone, 2 x battery, 1 x user manual, 1 x declaration of conformity

OMNITRONIC UHF-E Series Bodypack 828.6MHz + Lavalier Microphone

Bodypack transmitter with lavalier microphone for UHF-E receivers

- Sensitivity adjustable
- Polar pattern: Cardioid
- Operating range up to 60m with line-of-sight
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

Package contents

- 1 x transmitter, 1 x microphone, 2 x battery, 1 x user manual, 1 x declaration of conformity

OMNITRONIC UHF-E Series Bodypack 831.1MHz + Lavalier Microphone

Bodypack transmitter with lavalier microphone for UHF-E receivers

- Sensitivity adjustable
- Polar pattern: Cardioid
- Operating range up to 60m with line-of-sight
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

Package contents

- 1 x transmitter, 1 x microphone, 2 x battery, 1 x user manual, 1 x declaration of conformity

Technical specifications:

Weight: 3,62 kg

OMNITRONIC UHF-E4 Wireless Mic System 823.6/826.1/828.6/831.1MHz

| | |
|----------------------|------------------------------------|
| Type: | Wireless set |
| Range: | Range up to 60m with line-of-sight |
| Frequency band: | UHF 823 - 832 MHz |
| Carrier frequency: | 823,6; 826,1; 828,6; 831,1 |
| Parallel mode: | Max. 12 transmitter |
| Modulation: | FM |
| Frequency selection: | Fixed frequencies |
| Weight: | 2,16 kg |
| Receiver | |
| Power supply: | 100-240 V AC, 50/60 Hz |

| | |
|---------------------|---|
| | 13,5 V DC 150 mA |
| Power consumption: | 6 W |
| Power connection: | Mains input via Coaxial power connector (M) mounting version power supply cord with AC adapter (provided) |
| Number of channels: | 4 |
| Frequency range: | 20 - 20000 Hz |
| S/N ratio: | >96 dB |
| THD: | <0,1 % at 1 kHz |
| Housing color: | Black |
| Control elements: | Power switch, level control |
| Connections: | Output: line via 1 x 6.3 mm plug (unbal.) Output: Microphone via 4 x 3-pin XLR |
| Material: | Metal |
| Housing design: | Desktop console housing (19") 48.3 cm rack installation possible 1 U |
| Weight: | 1 kg |
| Microphone | |
| Type: | Hand-held transmitter |
| Power supply: | 3 V DC |
| Power connection: | Battery/battery pack |
| Capsule type: | Dynamic |
| Polar pattern: | Cardioid |
| Battery: | 2 x Mignon (AA) (not included) |
| Frequency range: | 50 - 20000 Hz |
| RF power output: | 10 mW |
| Housing color: | Black |
| Switch: | Mute control |
| Material: | Plastic |
| Dimensions: | Length: 25 cm Diameter: Ø 5,2 cm |
| Weight: | 205 g |

OMNITRONIC UHF-E Series Bodypack 823.6MHz + Lavalier Microphone

| | |
|--------------------|------------------------------------|
| Type: | Bodypack with microphone |
| Power supply: | 3 V DC |
| Power connection: | Battery/battery pack |
| Battery: | 2 x Mignon (AA) (not included) |
| THD: | <0,1 % at 1 kHz |
| Range: | Range up to 60m with line-of-sight |
| Frequency band: | UHF 823 - 832 MHz |
| Carrier frequency: | 823,6 MHz |
| RF power output: | 10 mW |
| Modulation: | FM |

| | |
|----------------------|---|
| Frequency selection: | Fixed frequencies |
| Connector type: | Mini XLR (M) 3-pin mounting version |
| Housing color: | Black |
| Status LED: | Charge status indicator |
| Color code: | CH A= red, |
| Switch: | On/off switch |
| Material: | Plastic |
| Dimensions: | Width: 6,8 cm Depth: 2,3 cm Height: 10 cm |
| Weight: | 140 g |
| Microphone | |
| Type: | Lavalier microphone |
| Cable length: | 0,95 m |
| Capsule type: | Condenser |
| Polar pattern: | Cardioid |
| Material: | Metal |
| Color: | Black |

OMNITRONIC UHF-E Series Bodypack 826.1MHz + Lavalier Microphone

| | |
|----------------------|---|
| Type: | Pocket transmitter |
| Power supply: | 3 V DC |
| Power connection: | Battery/battery pack |
| Capsule type: | Condenser |
| Polar pattern: | Cardioid |
| Battery: | 2 x Mignon (AA) (not included) |
| THD: | <0,1 % at 1 kHz |
| Range: | Range up to 60m with line-of-sight |
| Frequency band: | UHF 823 - 832 MHz |
| RF power output: | 10 mW |
| Modulation: | FM |
| Frequency selection: | Fixed frequencies |
| Connector type: | Mini XLR (M) 3-pin mounting version |
| Status LED: | Charge status indicator |
| Switch: | On/off switch |
| Material: | Plastic |
| Color: | Black |
| Dimensions: | Width: 6,8 cm Depth: 2,3 cm Height: 10 cm |
| Weight: | 140 g |

OMNITRONIC UHF-E Series Bodypack 828.6MHz + Lavalier Microphone

| | |
|----------------------|---|
| Type: | Pocket transmitter |
| Power supply: | 3 V DC |
| Power connection: | Battery/battery pack |
| Capsule type: | Condenser |
| Polar pattern: | Cardioid |
| Battery: | 2 x Mignon (AA) (not included) |
| THD: | <0,1 % at 1 kHz |
| Range: | Range up to 60m with line-of-sight |
| Frequency band: | UHF 823 - 832 MHz |
| RF power output: | 10 mW |
| Modulation: | FM |
| Frequency selection: | Fixed frequencies |
| Connector type: | Mini XLR (M) 3-pin mounting version |
| Status LED: | Charge status indicator |
| Switch: | On/off switch |
| Material: | Plastic |
| Color: | Black |
| Dimensions: | Width: 6,8 cm Depth: 2,3 cm Height: 10 cm |
| Weight: | 140 g |

OMNITRONIC UHF-E Series Bodypack 831.1MHz + Lavalier Microphone

| | |
|----------------------|---|
| Type: | Pocket transmitter |
| Power supply: | 3 V DC |
| Power connection: | Battery/battery pack |
| Capsule type: | Condenser |
| Polar pattern: | Cardioid |
| Battery: | 2 x Mignon (AA) (not included) |
| THD: | <0,1 % at 1 kHz |
| Range: | Range up to 60m with line-of-sight |
| Frequency band: | UHF 823 - 832 MHz |
| RF power output: | 10 mW |
| Modulation: | FM |
| Frequency selection: | Fixed frequencies |
| Connector type: | Mini XLR (M) 3-pin mounting version |
| Status LED: | Charge status indicator |
| Switch: | On/off switch |
| Material: | Plastic |
| Color: | Black |
| Dimensions: | Width: 6,8 cm Depth: 2,3 cm Height: 10 cm |
| Weight: | 140 g |