eurolite®


EUROLITE Set LED CAT-80 Beam Effect wh + Soft Bag

Art. No.: 20000989 GTIN: 4026397728255









incl. 19% VAT.

Features:

EUROLITE LED CAT-80 Beam Effect wh

LED beam effect with cold white 80 W COB LED and gobo wheel

- 3 different motion axes
- Rotating faceted mirror inside
- Rotating and swiveling mirror cylinder
- Generates countless moving patterns in the room
- 1 powerful LED 80 W COB (chip-on-board) cold white (CW)
- Gobo wheel with static gobos; focus manual
- Dimmer electronic
- Mirror cylinder effect; strobe effect
- Gobo wheel with static gobos, 9 color gobos and open
- The device is cooled by cooling fan
- Control via stand-alone; master/slave function; sound to light via microphone; DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
- Preprogrammed in Light J; Light Captain; EASY SHOW 2; EASY SHOW 3; Colorchief
- Flicker-free
- OLED display
- For application areas such as: Clubs/dancing school; party room; stage; mobile djs / entertainer; rental
- Application possibility: Suspended; on stand Package contents
- 1 x light effect, 1 x user manual, 1 x power cord, 1 x XLR cable

Logistic

EAN / GTIN: 4026397728255 Weight: 5,00 kg Length: 0.00 m Width: 0.00 m Heigth: 0.00 m

EUROLITE SB-4 Soft Bag L

Black soft bag for up to 4 devices, 320 x 320 x 200 mm

- Practical transport bag offers enough space for several lighting effects and accessories
- With dividers
- With 2 Outside pockets
- With 4 device compartments
- High-quality workmanship with nylon , black, water repellent
- Interior with foam padding
cover with foam padding
- 2 carrying straps

Package contents

1 x bag

Technical specifications:

Weight:

3,64 kg

EUROLITE LED CAT-80 Beam Effect wh

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	110 W
IP classification:	IP20
Protection class:	Protection class I
Power connection:	Mains input via P-Con (blue), mounting version power supply cord with safety plug
Fuse:	5 x 20 mm, T 2 A fuse replaceable
Lamp type:	LED lamp
LED type:	1 x 80 W COB (chip-on-board) cold white (CW)
Flash rate:	0 - 25 Hz
Equipment:	Gobo wheel with static gobos; focus manual
Gobos:	Gobo wheel with static gobos, 9 color gobos and open
DMX channels:	7
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	Cooling fan
Control:	Stand-alone; master/slave function; sound to light via microphone; DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
Preprogrammed in:	Light´J; Light Captain; EASY SHOW 2; EASY SHOW 3; Colorchief
Projection:	Flicker-free
Housing color:	White
Display type:	OLED display
Dimensions:	Width: 29,0 cm
	Depth: 18,5 cm

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

	Height: 31,5 cm
Weight:	3,12 kg
Noise classification:	Class 3 (clearly perceptible sounds)
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EUROLITE SB-4 Soft Bag L

Maximum load:	25 kg	
Carrying strap:	2 pc/pcs	
Material:	Nylon	
Color:	Black, water repellent	
Compartment dimensions:	15 cm x 15 cm x 20 cm	
Inside dimensions:	31 cm x 34 cm x 20 cm	
Dimensions:	Width: 32 cm	
	Depth: 41 cm	
	Height: 20 cm	
Weight:	0,52 kg	