



Features:

EUROLITE LED B-40 HCL Beam Effect MK2

LED beam effect with RGBWA+UV color mixing, incl. remote-control

- 5 LEDs 10 W 6in1 HCL RGBWA/UV
 segments controlled separately
- Rotation speed adjustable; Dimmer electronic; color blend stepless
- Multi beam effect; strobe effect
- 8 integrated show programs
- The device is cooled by passive convection cooling
- Control via IR remote control; stand-alone; sound to light via microphone; DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional); master/slave function
- Fixtures available for Light´J; Light Captain; EASY SHOW 2; EASY SHOW 3; Colorchief
- With omega bracket
- Monochrome 4 digit 7-segment LED display
- For application areas such as: Clubs/dancing school; wedding/gala/events; mobile djs / entertainer; restaurants, bars and hotels; advertisement/Shop window
- Application possibility: Standing; suspended

EUROLITE SB-10 Soft Bag

Black soft bag with divider, 330 x 330 x 355 mm

- Practical transport bag offers enough space for several lighting effects and accessories
- With divider
- With Outside pocket
- High-quality workmanship with nylon , black, water repellent
- Interior with foam padding

Logistic

EAN / GTIN: 4026397728507

Weight: 7,00 kg

Length: 0.00 m

Width: 0.00 m

Heigh: 0.00 m

- 2 Rugged carrying handles

Technical specifications:

Weight: 4.69 kg

EUROLITE LED B-40 HCL Beam Effect MK2

Power supply: 100-240 V AC, 50/60 Hz

Power consumption: 56 W

IP classification: IP20

Protection class: Protection class I

Power connection: Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)

Power output: IEC connector (F) mounting version

Fuse: T 1.6 A fuse replaceable

Lamp type: LED lamp

LED type: 5 x 10 W 6in1 HCL RGBWA/UV

Flash rate: 0 - 20 Hz

DMX channels: 3; 12; 23

DMX input: 1 x 3-pin XLR (M) mounting version

DMX output: 1 x 3-pin XLR (F) mounting version

Cooling: Passive convection cooling

Control: IR remote control; stand-alone; sound to light via microphone; DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional); master/slave function

Fixtures available for: Light J; Light Captain; EASY SHOW 2; EASY SHOW 3; Colorchief

Housing color: Black matte

Attachment system: Omega bracket

Display type: Monochrome 4 digit 7-segment LED display

Material: Metal; plastic

Dimensions: Length: 32.00 cm
Width: 32.00 cm
Height: 39.00 cm

Weight: 4.22 kg

Noise classification: Class 2 (slight noise)

Cable construction: 3 x 1.0 mm² H05VV-F

Cable length: Approx. 1.5 m

Diameter mounting holes: 1 x Ø13mm; 4 x Ø4mm

Material: Metal, 3 mm

Battery: 1 x button cell 3.0 V CR2025 lithium manganese built-in

Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EUROLITE SB-10 Soft Bag

Maximum load:	25 kg
Carrying handle:	2 pc/pcs
Material:	Nylon
Color:	Black, water repellent
Dimensions:	Width: 33 cm Depth: 37 cm Height: 33 cm
Weight:	0.47 kg

Scope of delivery:

1 x EUROLITE LED B-40 HCL Beam Effect MK2

- 1 x light effect
- 1 x power cord
- 1 x omega bracket
- 1 x remote control
- 4 x screw
- 4 x washer
- 1 x user manual

1 x EUROLITE SB-10 Soft Bag

- 1 x bag