

OMNITRONIC Set WAMS-12BT2 + 2x Bodypack Transmitter + 2x Headset Art. No.: 20001025 GTIN: 4026397739459



List price: 629.51 €

incl. 19% VAT.

Features:

OMNITRONIC WAMS-12BT2 Wireless PA System

Mobile 12" PA system with battery operation, audio player, Bluetooth and 2 wireless microphones

- Portable all-in-one PA system with 80 watts output power
- Cordless, flexible and versatile
- 3-channel power mixer
- Power-efficient and battery-saving biamp amplifier with DSP control
- Stereo Bluetooth link for wireless stereo operation with 2 systems linked together
- 2 mono input channels mic/line and hi-Z instrument (CH 2) with echo effect and feedback suppression
- 1 stereo input channel for internal audio player and external line signal sources with talkover switch
- UHF receiver units and 2 matching wireless microphones
- 1 additional battery can be retrofitted for up to 8 hours operating time
- Signal limiter and crossover, DSP-controlled
- Common 2-band EQ for highs and lows
- With accessory compartment
- For application areas such as: Theater; mobile use; wedding/gala/events; product presentations and lectures
- Battery operation up to 4h depending on program used
- Black metal grille audio player
- 2.4 GHz license-free worldwide
- Control via Bluetooth; IR remote control
- Bluetooth: operating range up to 20m
- microphone
- Polar pattern: Cardioid

Logistic

EAN / GTIN: 4026397739459 Weight: 15,00 kg Length: 0.00 m Width: 0.00 m Heigth: 0.00 m

- Operating range up to 30m
- UHF 863 865 MHz License-free and approved in Europe Package contents
- 2 x microphone, 2 x user manual, 1 x power cord, 1 x battery, 1 x compact cabinet speaker, 1 x declaration of conformity, 1 x battery pack, 1 x remote control, 2 x antenna

OMNITRONIC WAMS-12 Bodypack incl. Headset 863MHz

Bodypack transmitter with headset microphone for WAMS-12BT2

- LED indicator for battery capacity
- Polar pattern: Cardioid
- Operating range up to 30m with line-of-sight
- Package contents
- 1 x transmitter, 1 x microphone, 1 x user manual

OMNITRONIC WAMS-12 Bodypack incl. Headset 865MHz

Bodypack transmitter with headset microphone for WAMS-12BT2

- LED indicator for battery capacity
- Polar pattern: Cardioid
- Operating range up to 30m with line-of-sight
- Package contents
- 1 x transmitter, 1 x microphone, 1 x user manual

Technical specifications:

Weight:

14,80 kg

OMNITRONIC WAMS-12BT2 Wireless PA System

Power supply:	100-240 V AC, 50/60 Hz
	Or
	12V DC
Protection class:	Protection class I
Output power:	80 W RMS
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
	Battery/battery pack
Cable length:	1,5 m
Device fuse:	5 x 20 mm, T 1,6 A fuse replaceable
Battery pack type:	1 x lithium ion 12,8 V, 8000 mAh, 102,4 Wh
Battery pack:	Battery operation up to 4h depending on programused
	Recharging time 4h
Frequency range:	50 - 20000 Hz
THD:	<0,1 % at 1 kHz
Sensitivity:	98 dB (1W/1m)
Max. SPL:	121 dB
Bluetooth device name:	OMNITRONIC
Attachment system:	Flange: Ø 35mm

Control elements:	Level control per channel, echo effect control, talkover
Status LED:	Power, limit, charge status indicator
Connections:	Input: line via 1 x 3.5 mm jack (stereo) mounting version
	Input: line via 1 x stereo RCA
	Input: mic/line via 2 x 3-pin XLR/6.35mm jack (F) combination socket (mounting version)
	Output: 3-pin XLR
Equalizer:	2-band tone control
Speaker:	1 x woofer 12" with ferrit magnet
	Basket material: steel
	Conematerial: cardboard/paper
	1 x tweeter 1"
Type of speaker:	Wireless PA system
Switch:	On/off switch
Material:	Plastic
Color:	Black
Dimensions:	Length: 31 cm
	Width: 36 cm
	Height: 56 cm
Weight:	13,30 kg
Microphone	
Power supply:	3V DC
Capsule type:	Dynamic
Polar pattern:	Cardioid
Battery:	2 x Mignon (AA) (not included)
Range:	Range up to 30m
Frequency band:	UHF 863 - 865 MHz
Dimensions:	Length: 24 cm
	Diameter: Ø 5,1 cm
Audio player	
Control:	Bluetooth; IR remote control
Bluetooth:	Version: 5 with stereo link (TWS)
Audio player:	USB + SD + Bluetooth
Range:	Bluetooth: range up to 20m
Frequency band:	2.4 GHz
Music format:	MP3, WMA
Available storage media:	USB devices/SD cards max. 32GB (FAT 32)
Remote control	
Battery:	1 x button cell 3.0 V CR2025 lithium manganese built-in

OMNITRONIC WAMS-12 Bodypack incl. Headset 863MHz

Туре:	Bodypack with microphone
Polar pattern:	Cardioid
Battery:	2 x Mignon (AA) (not included)

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Range:	Range up to 30m with line-of-sight
Carrier frequency:	863 MHz
Frequency stability:	± 0,001 %
RF power output:	10 mW
Frequency selection:	Fixed frequencies
Connections:	1 x Mini XLR (F) 3-pin
Material:	Plastic
Color:	Black
Dimensions:	Width: 6,6 cm
	Depth: 2,4 cm
	Height: 11,2 cm
Weight:	0,10 kg

OMNITRONIC WAMS-12 Bodypack incl. Headset 865MHz

Туре:	Bodypack with microphone
Polar pattern:	Cardioid
Battery:	2 x Mignon (AA) (not included)
Range:	Range up to 30m with line-of-sight
Carrier frequency:	865 MHz
Frequency stability:	± 0,001 %
RF power output:	10 mW
Frequency selection:	Fixed frequencies
Connections:	1 x Mini XLR (F) 3-pin
Material:	Plastic
Color:	Black
Dimensions:	Width: 6,6 cm
	Depth: 2,4 cm
	Height: 11,2 cm
Weight:	0,10 kg