

## EUROLITE Set 2x LED CAT-80 Beam Effect + Flightcase

Art. No.: 20001053

GTIN: 4026397749595



**List price: 891.31 €**

incl. 19% VAT.

### Features:

#### EUROLITE LED CAT-80 Beam Effect

LED beam effect with cold white 80 W COB LED and gobo wheel

- 3 different motion axes
- Rotating faceted mirror inside
- Rotating and swiveling mirror cylinder
- Generates countless moving patterns in the room
- 1 powerful LED 80 W COB (chip-on-board) cold white (CW)
- Gobo wheel with static gobos; focus manual
- Dimmer electronic
- Mirror cylinder effect; strobe effect
- Gobo wheel with static gobos, 9 color gobos and open
- The device is cooled by cooling fan
- Control via stand-alone; master/slave function; sound to light via microphone; DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
- Preprogrammed in Light´J; Light Captain; EASY SHOW 2; EASY SHOW 3; Colorchief
- Flicker-free
- OLED display
- For application areas such as: Clubs/dancing school; party room; stage; mobile djs / entertainer; rental
- Application possibility: Suspended; on stand

#### Package contents

- 1 x light effect, 1 x user manual, 1 x power cord, 1 x XLR cable

### Logistic

EAN / GTIN: 4026397749595

Weight: 20,00 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

## ROADINGER Flightcase 2 x CAT-80 Beam Effect

### Trunk case

- With 2 device compartment
- With 1 accessory compartment
- Interior with foam padding<BR>cover with foam padding
- 2 hinged, chromium plated case handles
- 2 high-quality butterfly locks

### Package contents

- 1 x case

## Technical specifications:

---

Weight:	18,25 kg
---------	----------

---

## EUROLITE LED CAT-80 Beam Effect

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	110 W
IP classification:	IP20
Protection class:	Protection class I
Power connection:	Mains input via P-Con (blue), mounting version power supply cord with safety plug
Fuse:	5 x 20 mm, T 2 A fuse replaceable
Lamp type:	LED lamp
LED type:	1 x 80 W COB (chip-on-board) cold white (CW)
Flash rate:	0 - 25 Hz
Equipment:	Gobo wheel with static gobos; focus manual
Gobos:	Gobo wheel with static gobos, 9 color gobos and open
DMX channels:	7
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	Cooling fan
Control:	Stand-alone; master/slave function; sound to light via microphone; DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
Preprogrammed in:	Light´J; Light Captain; EASY SHOW 2; EASY SHOW 3; Colorchief
Projection:	Flicker-free
Housing color:	Black
Display type:	OLED display
Dimensions:	Width: 29,0 cm Depth: 18,5 cm Height: 31,5 cm

Weight:	3,08 kg
Noise classification:	Class 3 (clearly perceptible sounds)
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

#### **ROADINGER Flightcase 2 x CAT-80 Beam Effect**

Maximum load:	50 kg
Case handle:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Color:	Black, laminated
Accessory compartment:	11,2 cm x 36,4 cm x
Dimensions:	Length: 45,8 cm
	Depth: 39 cm
	Height: 39 cm
Weight:	9,30 kg