



Features:

EUROLITE LED CAT-80 Beam Effect

LED beam effect with cold white 80 W COB LED and gobo wheel

- 3 different motion axes
- Rotating faceted mirror inside
- Rotating and swiveling mirror cylinder
- Generates countless moving patterns in the room
- 1 LED 80 W COB (chip-on-board) cold white (CW)
- Gobo wheel with static gobos; focus manual
- Dimmer electronic
- Mirror cylinder effect; strobe effect
- Rainbow effect with adjustable speed
- Gobo wheel with static gobos, 9 color gobos and open
- The device is cooled by cooling fan
- Control via stand-alone; master/slave function; sound to light via microphone; DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
- Fixtures available for Light´J; Light Captain; EASY SHOW 2; EASY SHOW 3; Colorchief
- Flicker-free
- OLED display
- For application areas such as: Clubs/dancing school; party room; mobile djs / entertainer; rental; restaurants, bars and hotels
- Application possibility: Suspended; on stand

Logistic

EAN / GTIN: 4026397749595

Weight: 20,00 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

ROADINGER Flightcase 2 x CAT-80 Beam Effect

Trunk case

- With 2 device compartment
- With 1 accessory compartment
- Interior with foam padding
cover with foam padding
- 2 hinged, chromium plated case handles
- 2 high-quality butterfly locks

Technical specifications:

Weight: 15.46 kg

EUROLITE LED CAT-80 Beam Effect

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	110 W
IP classification:	IP20
Protection class:	Protection class I
Power connection:	Mains input via P-Con (blue), mounting version power supply cord with safety plug
Fuse:	5 x 20 mm, T 2 A fuse replaceable
Lamp type:	LED lamp
LED type:	1 x 80 W COB (chip-on-board) cold white (CW)
Flash rate:	0 - 25 Hz
Equipment:	Gobo wheel with static gobos; focus manual
Color generation:	Rainbow effect with adjustable speed
Gobos:	Gobo wheel with static gobos, 9 color gobos and open
DMX channels:	7
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	Cooling fan
Control:	Stand-alone; master/slave function; sound to light via microphone; DMX; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
Fixtures available for:	Light J; Light Captain; EASY SHOW 2; EASY SHOW 3; Colorchief
Projection:	Flicker-free
Housing color:	Black
Display type:	OLED display
Dimensions:	Width: 29.0 cm Depth: 18.5 cm Height: 31.5 cm
Weight:	3.08 kg
Noise classification:	Class 3 (clearly perceptible sounds)
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

ROADINGER Flightcase 2 x CAT-80 Beam Effect

Maximum load:	50 kg
Case handle:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Color:	Black, laminated
Accessory compartment:	11 cm x 36.5 cm x 36 cm
Device compartment:	29 cm x 16 cm x 35 cm
Dimensions:	Width: 47.5 cm Depth: 41.5 cm Height: 42.5 cm
Weight:	9.30 kg

Scope of delivery:**2 x EUROLITE LED CAT-80 Beam Effect**

- 1 x light effect
- 1 x user manual
- 1 x power cord
- 1 x XLR cable

1 x ROADINGER Flightcase 2 x CAT-80 Beam Effect

- 1 x case