

### **EUROLITE LED ML-56 COB 3200K 80W Floor bk**

ML spot with 80 W COB LED in warm white

Art. No.: 41604022 GTIN: 4026397531664

# The article is no longer in our assortment.

#### Features:

- Functions: dimmer, strobe effect, Master/Slave operation, different dimmer curves/dimmer speed (step response)
- DMX-controlled operation or stand-alone operation with Master/Slave function
- 1 or 3 DMX channels selectable
- Strobe effect with adjustable speed
- Beam angle approximately 35°
- Comfortable addressing and setting via Control Board with LED display and four operating buttons
- Ideal as floor spot via additional bracket
- Locking possibility at the brackets
- Ideal for theatres, large stages as pre-stage spot and mobile use
- With color filter frame, optional barndoors available
- Ready for connection with power cord and safety plug
- Switch-mode power supply for operation between 100 and 240 Volts
- Available in silver or in black
- 1 powerful LED 80 W COB (chip-on-board) warm white (WW)
- Strobe effect
- Control via DMX
- Preprogrammed in Light'J; LED PC-Control 512
- Flicker-free
- With a beam angle of 35°

#### Logistic

EAN / GTIN: 4026397531664

Weight: 4,05 kg Length: 0.29 m Width: 0.29 m Heigth: 0.39 m

## **Technical specifications:**

Teominal specimations.	
Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	80 W
IP classification:	IP20
Power connection:	Fixed power supply cord with safety plug
Lamp type:	LED lamp
LED type:	1 x 80 W COB (chip-on-board) warm white (WW)
Flash rate:	0 - 17 Hz
DMX channels:	1; 3
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Control:	DMX
Preprogrammed in:	Light'J; LED PC-Control 512
Projection:	Flicker-free
Beam angle:	35°
Beam angle (1/2 peak):	35°
Beam angle (1/10 peak):	79°
Color temperature:	3200K
Housing color:	Black
Dimensions:	Width: 29 cm
	Depth: 25,5 cm
	Height: 32 cm
Weight:	3,55 kg
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting