

EUROLITE LED SFR-100 COB CW/WW 100W Floor

Silent LED spotlight with 100 W COB LED in cold white and warm white

Art. No.: 41607600

GTIN: 4026397566116



The article is no longer in our assortment.

Features:

- Stepless color blend
- Electronic dimmer (0-100%)
- Dimmer speed (step response) adjustable
- Mains input and output for power linking up to 8 units
- 1 powerful LED 100 W COB (chip-on-board) 2in1 BCL CW/WW (homogenous color mix)
- Strobe effect
- The device is cooled by passive convection cooling
- Control via DMX
- Preprogrammed in Light´J; LED PC-Control 512; Light Captain
- Flicker-free
- With a beam angle of 35°
- Variable color temperature 2900 K - 6000 K
- With double bracket
- Silent operation

Logistic

EAN / GTIN: 4026397566116

Weight: 7,25 kg

Length: 0.25 m

Width: 0.25 m

Height: 0.37 m

Technical specifications:

Power supply:	100-240 V AC, 50/60 Hz
---------------	------------------------

Power consumption:	90 W
--------------------	------

IP classification:	IP20
--------------------	------

Protection class:	Protection class I
-------------------	--------------------

Power connection:	Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided)
Cable length:	Approx. 1,2 m
Power output:	1 x PowerCON (gray), mounting version
Lamp type:	LED lamp
LED type:	1 x 100 W COB (chip-on-board) 2in1 BCL CW/WW (homogenous color mix)
Flash rate:	0 - 17 Hz
DMX channels:	4
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Cooling:	Passive convection cooling
Control:	DMX
Preprogrammed in:	Light´J; LED PC-Control 512; Light Captain
Projection:	Flicker-free
Beam angle:	35°
Beam angle (1/2 peak):	35°
Beam angle (1/10 peak):	82°
Color temperature:	2900K - 6000K adjustable
Housing color:	Black
Attachment system:	Double bracket
Dimensions:	Width: 27 cm Depth: 29 cm Height: 28,5 cm
Weight:	6,70 kg
Noise classification:	Class 0 (no noise at all)
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting