

EUROLITE KLS-Kombo Pack 4

Universal mobile light set

Art. No.: 42109544

GTIN:



The article is no longer in our assortment.

Features:

Logistic

Universal mobile light set

- Combines four LED spots, a flower effect and a water effect
- The standard light system for every small band, solo entertainers and parties
- Set consisting of: 42109781 EUROLITE LED KLS-401 Compact lightset, 51918537 EUROLITE LED GF-10 Gobo flower effect, 51918543 EUROLITE LED WF-10 Water effect, 60004120 Speaker system stand alu, black, 59007081 EUROLITE STV-3529 Adapter long
- Details to the products:
- KLS-401 Compact lightset
- Complete LED light set with 4 spots
- Compact and easy to transport
- 720 LEDs
- 4 IEC outputs for power supply of further devices
- GF-10 Gobo flower effect
- Deco flower effect with built-in color gobo disk and mirror disk
- Equipped with a white 10 W LED
- DMX-controlled operation or stand-alone operation possible
- WF-10 Water effect
- Built-in effect wheel offers water effect with 5 colors plus white
- Equipped with a white 10 W LED
- DMX-controlled operation or stand-alone operation possible
- You can find more information under the respective article

EUROLITE LED KLS-401 Compact Light Set

Bar with 4 spots with 108 LEDs (RGB) each and carrying bag

- Complete LED light set with four slimline LED spots
- Crossbar with integrated DMX control unit
- Installation via TV pin for tripods with 28 mm interior diameter
- Ultra-light ideally suited for mobile use
- Comes pre-assembled with practical transport bag
- 180 x 10 mm LED per spot (60 x red, 60 x green, 60 x blue)
- Movable and tiltable spotlights
- DMX-controlled operation or stand-alone operation with processor-controlled color change
- Master/Slave operation
- Sound-control via built-in microphone with sensitivity control
- Convenient control possible via optional 4-pedal foot pedal FP-1 or IR remote control
- DMX512 control via regular DMX controller (occupies 15 channels)
- Optimized for control with the optional control panel DMX LED Operator 4
- Via DMX, each spot can be individually controlled
- DMX functions: dimmer, automatic mode, music control, strobe effect
- Addressing and setting via control panel with 4-digit LED display
- Suited for installation on a lighting stand (not included)
- Black lacquered metal version
- Ideal for bands, stages or solo entertainers
- Ready for connection with power cord and safety plug
- 4 IEC outputs for power supply of further devices
- 180 powerful LEDs 10 mm R/G/B
 spots controlled separately
- Control via stand-alone; DMX; foot switch (optional); IR remote control (optional)
- Preprogrammed in LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3
- With a beam angle of 25°
- For further information about this product, please refer to the Data Sheet under "Downloads"

Package contents

- 1 x spotlight

OMNITRONIC Speaker System Stand alu bk

High-quality speaker stand

- Stable speaker stand for mobile use
- The telescopic tube is additionally fixed with a safety pin
- Adjustable height

EUROLITE STV-3529 Adapter long

Massive adapter for 35 mm tube, 28 mm TV spigot, maximum load WLL 100 kg

- For stands with telescopic tube 35 mm
- Connection element for cross beam with 28 mm TV spigot
- With M6 and M8 fixation screw
- Heavy version for highest stability
- TV spigot

Package contents

- 1 x device, 1 x user manual, 2 x knurled screw

EUROLITE LED GF-10 Gobo flower effect

Flower effect with a white 10 W LED

- Built-in mirror disc and color gobo disc with 14 gobos offers a lovely effect
- Equipped with a white 10 W LED
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Dimmer
- Strobe effect
- Manual focus
- Sound-control via built-in microphone
- Microphone-sensitivity adjustable via rotary-control
- Ready for connection with power cord and safety-plug
- Addressing via control panel with 4-digit LED display
- Perfect for use with EUROLITE KLS spotlight sets with IEC outputs
- DMX control via every standard DMX controller

EUROLITE LED WF-10 Water effect

LED deco effect

- Produces projections like moving water
- Built-in effect wheel offers a lovely water effect with 5 colors plus white
- Equipped with a white 10 W LED
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Dimmer
- Manual focus
- Ready for connection with power cord and safety-plug
- Addressing via control panel with 4-digit LED display
- Perfect for use with EUROLITE KLS spotlight sets with IEC outputs
- DMX control via every standard DMX controller

OMNITRONIC XLR Cable 3-pin 0.5m bk

Audio cable with 3-pin XLR connectors<p class='attributgroup'>Package contents

- 1 x XLR cable

Technical specifications:

| | |
|----------------------|--|
| Weight: | 19,48 kg |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

EUROLITE LED KLS-401 Compact Light Set

| | |
|------------------------|--|
| Power supply: | 230 V AC, 50 Hz |
| Power consumption: | 55,00 W |
| IP classification: | IP20 |
| Power connection: | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) |
| Power output: | 1 x IEC connector (F) mounting version |
| Lamp type: | LED lamp |
| LED type: | 180 x 10 mm R/G/B |
| DMX channels: | 15 |
| Control: | Stand-alone; DMX; foot switch (optional); IR remote control (optional) |
| Preprogrammed in: | LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3 |
| Beam angle: | 25° |
| Beam angle (1/2 peak): | 25° |
| Housing color: | Black |
| Dimensions: | Width: 120 cm Depth: 5,5 cm Height: 31 cm |
| Weight: | 9,30 kg |

| | |
|----------------------|--|
| DMX connection: | 3-pin XLR |
| LED type: | 10 mm |
| LED number: | 720 (240 red, 240 green, 240 blue) |
| TV spigot: | D = 28 mm |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

OMNITRONIC Speaker System Stand alu bk

| | |
|----------------------------|------------------------------------|
| Maximum carrying capacity: | 30 kg |
| Height: | Maximum: 230 cm Minimum: 140 cm |
| Type (general stands): | Speaker stand/manual |
| Material: | Aluminum |
| Color: | Black |
| Weight: | 3,45 kg |
| Maximum load: | 30 kg |
| Maximum load (DIN15560): | 18 kg |
| Minimum height: | 1.40 m |
| Maximum height: | 2.20 m |

EUROLITE STV-3529 Adapter long

| | |
|-------------------------------|---|
| Maximum load BGV C1 (8-fold): | 50 kg |
| Maximum load WLL (4-fold): | 100 kg |
| Attachment system: | TV spigot Ø 28mm Ø 35mm |
| Type (general stands): | Accessory |
| Material: | Steel, 6 mm, powder-coated |
| Dimensions: | Width: 8,50 cm Depth: 5 cm Height: 19,50 cm |
| Weight: | 1,50 kg |

EUROLITE LED GF-10 Gobo flower effect

| | |
|--------------------|---|
| Power supply: | 230 V AC, 50 Hz |
| Power consumption: | 30,00 W |
| Dimensions: | Width: 24 cm Depth: 19 cm Height: 18,5 cm |
| Weight: | 2,26 kg |
| DMX channels: | 3 |
| DMX connection: | 3-pin XLR |

| | |
|----------------------|--|
| LED type: | 10 W |
| LED number: | 1 |
| Beam angle: | 35° |
| Sound-control: | via built-in microphone |
| Dimensions: | 240 x 190 x 185 mm |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

EUROLITE LED WF-10 Water effect

| | |
|----------------------|---|
| Power supply: | 230 V AC, 50 Hz |
| Power consumption: | 34,00 W |
| Dimensions: | Width: 22 cm Depth: 26,5 cm Height: 19 cm |
| Weight: | 2,81 kg |
| DMX channels: | 2 |
| DMX connection: | 3-pin XLR |
| LED type: | 10 W |
| LED number: | 1 |
| Beam angle: | 35° |
| Dimensions: | 220 x 265 x 190 mm |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

OMNITRONIC XLR Cable 3-pin 0.5m bk

| | |
|---------------------|-------------------|
| Cable construction: | Audio cable |
| Cable length: | 0,5 m |
| Plug A: | 1 x 3-pin XLR (M) |
| Plug B: | 1 x 3-pin XLR (F) |
| Color: | Black |
| Weight: | 0,08 kg |