


## EUROLITE UV-active paint, yellow

Color, brush and let's start...

750ml

Art. No.: 51107910

GTIN: 4026397023022



The article is no longer in our assortment.

### Features:

- For highlighting individual object parts
- Very high brightness
- Easy processing
- Simple means - big effect
- Paintings and bar decoration
- Discotheque truss systems decoration
- Applicable on all surfaces, e.g. wood, metal, plastic
- Outstanding hide and coverage
- Very high luminosity as soon as the uv light falls on the lacquered object
- The optional EUROLITE primer increases luminosity
- The optional EUROLITE protection varnish preserves the color
- Easy application by brush, roller or sprayer
- High yield

### Logistic

EAN / GTIN: 4026397023022

Weight: 0,95 kg

Length: 0.10 m

Width: 0.10 m

Height: 0.12 m

### Technical specifications:

|                     |                                                                                                    |
|---------------------|----------------------------------------------------------------------------------------------------|
| Practical coverage: | approx. 90-100 ml per m <sup>2</sup>                                                               |
| Dry time to touch:  | aprx. 4-5 hours                                                                                    |
| Dry time to recoat: | approx. 24 hours                                                                                   |
| Applicable thinner: | Universal thinner                                                                                  |
| Contents:           | Xylol, toluol, ethylbenzol, oropylbenzol, 1.3.5 trimethylbenzol, inflammable crude oil distillates |

|                       |                                                |
|-----------------------|------------------------------------------------|
| Boiling point:        | 135-160° C                                     |
| Flash point:          | 26° C                                          |
| Ignition temperature: | 450° C                                         |
| Density:              | 1-1.3 g / cm <sup>3</sup> (dependent on color) |
| Solvent percentage:   | 23 + 3%                                        |