

EUROLITE LED TMH-X18 Moving-Head Beam

Beam spotlight with 1° beam angle, 150 W LED, color wheel, gobos and rotating prism

Art. No.: 51785908 GTIN: 4026397632910











The article is no longer in our assortment.

Features:

- Equipped with a white 150 W COB LED
- Lightbeam with 1° radiation angle
- Positioning within 540° PAN and 270° TILT
- Exact positioning via 16 bit PAN/TILT movement resolution
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Rotating 8-facet prism
- The prism rotates in both directions and at different speeds
- Frost-filter
- Strobe effect with 1-18 flashes per second
- Internal programs
- Dimmer
- Motorized focus
- Automatic position correction
- Control board with LCD and foil-keyboard for adjusting the DMX-starting address, PAN/TILT-Reverse, Program, Reset
- P-Con terminals for power linking up to 8 units
- 1 powerful LED 150 W COB (chip-on-board) color wheel
- Auto position correction (feedback)
- Exact positioning (16 bit resolution)
- Gobo wheel with static gobos; prism 8-fold; frost filter; focus motor-driven
- Strobe effect
- Color wheel with 13 dichroic filters plus open
switchable color change (mode 1: only full colors, mode 2: color-change at every position)
- Gobo wheel with static gobos, 13 gobos und open
shake effect
- The device is cooled by cooling fan
- Control via DMX; stand-alone; sound to light via microphone

Logistic

EAN / GTIN: 4026397632910

Weight: 16,80 kg Length: 0.45 m Width: 0.43 m Heigth: 0.57 m

- Preprogrammed in Light´J; LED PC-Control 512; Light Captain
- Flicker-free
- With a beam angle of 1°

Package contents

1 x omega bracket

Technical specifications:

recimical specifications.	
Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	210 W
IP classification:	IP20
Power connection:	Mains input via P-Con (blue), mounting version power supply cord with safety plug (provided)
Power output:	1 x P-Con (gray), mounting version
Lamp type:	LED lamp
LED type:	1 x 150 W COB (chip-on-board) color wheel
Max. TILT movement:	270° exact positioning (16 bit resolution) auto position correction (feedback)
Max. PAN movement:	540° exact positioning (16 bit resolution) auto position correction (feedback)
Flash rate:	0 - 18 Hz
Equipment:	Gobo wheel with static gobos; prism 8-fold; frost filter; focus motor-driven
Color generation:	Color wheel with 13 dichroic filters plus open Switchable color change (mode 1: only full colors, mode 2: color-change at every position)
Gobos:	Gobo wheel with static gobos, 13 gobos und open Shake effect
DMX channels:	14
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Cooling:	Cooling fan
Control:	DMX; stand-alone; sound to light via microphone
Preprogrammed in:	Light'J; LED PC-Control 512; Light Captain
Projection:	Flicker-free
Beam angle:	1°
Beam angle (1/2 peak):	1°
Color temperature:	6000K
Housing color:	Black
Dimensions:	Width: 33 cm Depth: 34 cm Height: 45 cm
Weight:	14,5 kg
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting