

FUTURELIGHT DMH-32 RGBW LED Moving Head

LED moving head with one 32 W RGBW LED (4in1) and unique color effect prism

Art. No.: 51841828

GTIN: 4026397494310



The article is no longer in our assortment.

Features:

- Equipped with one 32 W quadcolor LED with RGBW colors
- Comparable to the light output of a 150 W discharge lamp
- Color effect prism: Not only the gobos, also the colors are split
- High PAN/TILT speed
- 16, 18 or 23 DMX channels selectable
- 5-facet prism
- Masterdimmer
- Color presets
- Stepless RGBW color changing
- Gobo wheel with 6 rotating gobos plus open
- All gobos can be interchanged
- With gobo shake function
- Exact positioning via 16 bit PAN/TILT movement resolution, dimmer intensity, colors
- Manual focus
- Strobe effect with adjustable speed
- Random strobe effect
- Automatic position correction
- PAN angle switchable between 540° and 630°
- Sound-controlled via built-in microphone
- Switch-mode power supply, automatic power supply adaption between 100 and 240 Volts without power selector
- Control board with graphic LCD and foil-keyboard for adjusting the DMX-starting address, PAN/TILT reverse, reset
- DMX-controlled operation or stand-alone operation with Master/Slave function
- The scenes can be modified via the Control Board or via an external controller and loaded into the memory

Logistic

EAN / GTIN: 4026397494310

Weight: 8,65 kg

Length: 0.46 m

Width: 0.32 m

Height: 0.27 m

- Number of scenes can be changed individually
- Software upload by optional accessories via DMX link
- Power connection via Neutrik PowerCon jack and included power cable
- Feed-through output allows to power another device
- After 8 devices the fixtures must have a renewed connection with the power mains
- DMX control via any standard DMX controller
- Control via sound to light via microphone; RDM
- Preprogrammed in LED PC-Control 512

Technical specifications:

| | |
|--------------------------------|---|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Power consumption: | 60 W |
| Max. TILT movement: | 270° positioning |
| Max. PAN movement: | 630° positioning |
| Gobos: | Outside diameter 24mm Image diameter 19mm |
| DMX channels: | 16 |
| Control: | Sound to light via microphone; RDM |
| Preprogrammed in: | LED PC-Control 512 |
| Beam angle (1/2 peak): | 12° |
| Color: | Black |
| Dimensions: | Width: 24,4 cm Depth: 20,8 cm Height: 34 cm |
| Weight: | 7,40 kg |
| DMX channels: | 16/18/23 |
| DMX connection: | 5-pin XLR |
| Sound-control: | via built-in microphone |
| LED type: | 32 W QCL |
| LED number: | 1 |
| Beam angle: | 12° |
| Rotating gobo-wheel: | 6 gobos and open |
| Outside diameter of the gobos: | 24 mm |
| Image diameter of the gobos: | 19 mm |
| Maximum PAN-movement: | 630° |
| Maximum TILT-movement: | 270° |
| Dimensions (L x W x H): | 244 x 208 x 340 mm |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |