# eurolite®

### EUROLITE LED ML-56 RGBA 36x3W sil

PRO DMX LED spotlight with RGBA

Art. No.: 51913663 GTIN: 4026397403800



## The article is no longer in our assortment.

#### Features:

- Operable in stand-alone mode or via DMX interface
- DMX512 control possible via any commercial DMX controller (occupies 6 channels)
- 4 or 6 DMX channels selectable for numerous applications
- Sound-control via built-in microphone
- Adjustable microphone sensitivity via LED display
- Comfortable addressing and setting via control panel with LED display and three operating buttons
- Functions: static colors, RGBA color blend, internal programs, dimmer and strobe settings via DMX, Master/Slave
- Equipped with 36 x 3 W LEDs in the colors red, green, blue and amber
- Locking possibility at the mounting bracket
- Ready for connection with power cord and safety plug
- Advantages of high-power LED technology: extreme light output, long life, low power consumption, defacto maintenance free with brilliant light radiation
- Preprogrammed in Light'J; LED PC-Control 512

#### **Technical specifications:**

Power supply:	230 V AC, 50 Hz
Power consumption:	150,00 W
DMX channels:	4
Preprogrammed in:	Light'J; LED PC-Control 512
Dimensions:	Width: 24 cm

#### Logistic

EAN / GTIN: 4026397403800 Weight: 5,00 kg Length: 0.27 m Width: 0.27 m Heigth: 0.35 m

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

	Depth: 30 cm
	Height: 31 cm
Weight:	4,55 kg
DMX channels:	4/6
DMX connection:	3-pin XLR
Sound-control:	via built-in microphone
LED type:	3 W
LED number:	36 (9 x red, 9 x green, 9 x blue, 9 x amber)
Beam angle:	30°
Dimensions (L x W x H):	240 x 300 x 310 mm
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting