

EUROLITE LED IP PAR 7x9W SCL spot

Weather-proof (IP65) spotlight with 7 x 7in1 LED and RGBA/CW/WW+UV color mixing

Art. No.: 51914232

GTIN: 4026397669862



List price: 355.81 €

incl. 19% VAT.

Features:

- 7 high-power 9 W RGBA/CW/WW+UV LEDs (7in1)
- 15° beam angle
- Diffuser covers with 40° and elliptical 15° x 60° beam angle optional
- For indoor and outdoor use (IP65)
- Auto, master/slave and DMX mode
- Built-in auto show programs
- Direct color selection for 28 preset colors
- Stepless color blend, color change, color fade, dimmer and strobe effect
- Control panel with LC display for easy configuration
- Convenient wireless control via included IR remote control
- Swivel mounting bracket
- Additional bracket for floor use
- Mains input and output for power linking up to 8 units
- LED: 7 x high-power 9 W 7in1 SCL RGB/CW/WW/A/UV (homogenous color mix)
- Can be operated in 3; 5; 7; 9; 13 CH mode
- The device is cooled by passive convection
- Controlling by DMX; stand-alone; IR remote control
- Preprogrammed in Light´J; LED PC-Control 512; EASY SHOW; Light Captain
- Flicker-free projection
- Suitable for outdoor use

Logistic

EAN / GTIN: 4026397669862
 Weight: 4,60 kg
 Length: 0.33 m
 Width: 0.30 m
 Height: 0.19 m

Technical specifications:

Power supply: 100-240 V AC, 50/60 Hz

Power consumption:	55 W
IP classification:	IP65
Power connection:	Mains input via IP T-Con (M) mounting version power supply cord with safety plug
Power output:	IP T-Con (F) mounting version
Lamp type:	LED lamp
LED:	7 x high-power 9 W 7in1 SCL RGB/CW/WW/A/UV (homogenous color mix)
Flash rate:	0 - 20 Hz
DMX channels:	3; 5; 7; 9; 13
DMX input:	1 x 3-pin XLR (M) mounting version IP
DMX output:	1 x 3-pin XLR (F) mounting version IP
Cooling:	Passive convection
Control:	DMX; stand-alone; IR remote control; Light´J; LED PC-Control 512; EASY SHOW; Light Captain
Beam angle:	15°
Beam angle (1/2 peak):	15°
Housing color:	Black
Display type:	LCD display
Dimensions:	Width: 25,5 cm Depth: 15,3 cm Height: 28,1 cm
Weight:	4,07 kg
Noise classification:	Class 0 (no noise at all)
Remote control	
Battery:	1 x Button cell 3.0 V CR2025 lithium manganese (provided)
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting