eurolite®

EUROLITE LED PST-5 QCL Spot wh

Narrow beam pinspot with 5 W 4in1 QCL RGBW LED











List price: 62.95 €

incl. 19% VAT.

Features:

- Memory function saves last setting when switching off
- 1 powerful LED 5 W high-power 4in1 QCL RGBW (homogenous color mix)
- Color change adjustable; color fade adjustable; Dimmer electronic
- Strobe effect
- 2 integrated show programs
- The device is cooled by passive convection cooling
- Control via stand-alone; IR remote control; sound to light via microphone
- With a beam angle of 5°
- For application areas such as: Clubs/dancing school; party room; mobile djs / entertainer; restaurants, bars and hotels
- Silent operation
- Application possibility: Suspended; on stand Package contents
- 1 x spotlight, 1 x remote control, 1 x battery, 1 x user manual

Technical specifications:

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	5 W
IP classification:	IP20
Protection class:	Protection class II
Power connection:	Fixed power supply cord with Euro plug

Logistic

EAN / GTIN: 4026397703160 Weight: 0,55 kg Length: 0.22 m Width: 0.12 m Heigth: 0.12 m

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Lamp type:	LED lamp
LED type:	1 x 5 W high-power 4in1 QCL RGBW (homogenous color mix)
Cooling:	Passive convection cooling
Control:	Stand-alone; IR remote control; sound to light via microphone
Beam angle:	5°
Beam angle (1/2 peak):	
Beam angle (1/10 peak):	9°
Housing color:	White
Dimensions:	Width: 12,1 cm
	Depth: 14 cm
	Height: 13,7 cm
Weight:	0,45 kg
Noise classification:	Class 0 (no noise at all)
Remote control	
Battery:	1 x button cell 3.0 V CR2025 lithium manganese built-in
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting