

EUROLITE LED FE-700 Flower Effect

DMX lighting effect with beams in the colors R, G, B, W, A and P, incl. IR remote control

Art. No.: 51918616

GTIN: 4026397547290



List price: 201.11 €

incl. 19% VAT.

Description:

The LED FE-700 Flower Effect by Eurolite illuminates walls and other surfaces with colorful patterns adjustable according to your requirements.

At the heart of the FE-700 are eight glass lenses equipped with six LEDs in the colors red, green, blue, amber, white and pink. You can control your light show either in DMX mode, stand-alone mode or with the supplied IR remote control.

If you choose to let the Flower Effect work on its own, the intensity and colors adjust to the rhythm of the music through the integrated microphone. Furthermore, there are preset programs and impressive strobe effects.

Everything you need for operation is included in the delivery; from the PSU and the remote control to the mounting bracket for easy mounting. Impress your audience with a sea of colors perfectly matching bands, artists or presentations at trade fairs.

Logistic

EAN / GTIN: 4026397547290

Weight: 4,00 kg

Length: 0.33 m

Width: 0.25 m

Height: 0.34 m

Features:

- Precision lenses fill the room with countless rotating beams
- 6 powerful LEDs 3 W high-power R/G/B/W/A/P
- Rotation speed stepless
- Multi beam effect; flower effect; strobe effect
- 3 integrated show programs
- Direct color selection for 25 preset colors
- The device is cooled by passive convection cooling
- Control via stand-alone; DMX; IR remote control; sound to light via microphone; master/slave function

- Preprogrammed in Light´J; LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; Colorchief
 - With mounting bracket
 - 4 digit 7-segment LED display
 - Mains input and output for power linking up to 8 units
 - For application areas such as: Clubs/dancing school; wedding/gala/events; mobile djs / entertainer; restaurants, bars and hotels
 - Application possibility: Suspended; on stand
- Package contents**
- 1 x light effect, 1 x power cord, 1 x remote control, 1 x battery, 1 x user manual

Technical specifications:

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	24 W
IP classification:	IP20
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Power output:	1 x IEC connector (F) mounting version
Lamp type:	LED lamp
LED type:	6 x 3 W high-power R/G/B/W/A/P
DMX channels:	3; 10
DMX input:	3-pin XLR (M) mounting version
DMX output:	3-pin XLR (F) mounting version
Cooling:	Passive convection cooling
Control:	Stand-alone; DMX; IR remote control; sound to light via microphone; master/slave function
Preprogrammed in:	Light´J; LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; Colorchief
Housing color:	Black
Attachment system:	Mounting bracket
Display type:	4 digit 7-segment LED display
Material:	Metal
Dimensions:	Width: 30 cm Depth: 20 cm Height: 31 cm
Weight:	3,50 kg
Noise classification:	Class 2 (slight noise); class 2 (slight noise)
Power cord	
Cable construction:	3 x 0,75 mm² H05VV-F
Cable length:	Approx. 1,2 m
Mounting bracket	
Diameter mounting holes:	3 x Ø11mm; 4 x Ø5mm
Material:	Metal, 2 mm
Remote control	
Battery:	1 x button cell 3.0 V CR2025 lithium manganese built-in
Legal specifications	

Special product:	Not designed for household room illumination
Intended use:	Show effect lighting