

EUROLITE LED B-40 HCL Beam Effect

LED beam effect with RGBAW+UV color mixing

Art. No.: 51918951

GTIN: 4026397617702











The article is no longer in our assortment.

Description:

Romantic light show in beautiful RGBAW colors plus UV light - this LED disco ball makes it possible!

The LED B-40 HCL by Eurolite is a fascinating mirror ball simulator fitted with five powerful 12-watt hex-color LEDs projecting colorful beams and a precision motor that creates a romantic atmosphere at slow rotation speed. Thanks to 6-color mixing particularly beautiful colors are possible: In addition to red, green and blue, white and amber provide great pastel and yellow tones. Adding UV to the mix makes for unique color moods.

Various control options

The LED B-40 HCL offers a direct selection for 25 preset colors and comes with 4 show programs selectable in automatic or sound-controlled mode. It can be operated in master, slave and stand-alone modes or via DMX. A clear display even allows you to easily set a color and rotation speed without any controller.

Everywhere in use

Of course, the LED B-40 HCL is delivered ready to use with plug and power cord together with a bracket for truss mounting. Placing the disco ball on a stand as a centerpiece also yields great effects. Thanks to its modern technology and straightforward handling the LED B-40 HCL is an ideal choice for clubs, bars, discos and mobile applications of any kind.

Logistic

EAN / GTIN: 4026397617702

Weight: 5,10 kg Length: 0.35 m Width: 0.35 m Heigth: 0.44 m

Features:

- Precision lenses fill the room with countless rotating beams
- 5 powerful LEDs 12 W high-power 6in1 HCL RGBWA/UV
- Color blend stepless; color change adjustable; color fade adjustable; Dimmer electronic; Rotation speed stepless
- Multi beam effect; strobe effect; UV effect
- 4 integrated show programs
- Direct color selection for 25 preset colors
- The device is cooled by low-noise cooling fan
- Control via DMX; sound to light via microphone; master/slave function; stand-alone
- Preprogrammed in Light'J; LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3
- With mounting bracket
- 4 digit 7-segment LED display
- Mains input and output for power linking up to 8 units
- Very quiet working noise

Package contents

- 1 x light effect, 1 x user manual, 1 x power cord, 1 x omega bracket, 2 x screw, 2 x washer

Technical specifications:

Teelinear specifications.	milical specifications.	
Power supply:	100-240 V AC, 50/60 Hz	
Power consumption: 50 W		
IP classification:	elassification: IP20	
Protection class:	ection class: Protection class I	
Power connection: Mains input via IEC connector (M) mounti version power supply cord with safety plue (provided)		
Power output:	IEC connector (F) mounting version	
Lamp type:	LED lamp	
LED type:	5 x 12 W high-power 6in1 HCL RGBWA/UV	
Flash rate:	0 - 20 Hz	
DMX channels:	5; 11	
DMX input:	3-pin XLR (M) mounting version	
DMX output:	3-pin XLR (F) mounting version	
Cooling:	Low-noise cooling fan	
Control:	DMX; sound to light via microphone; master/slave function; stand-alone	
Preprogrammed in:	Light 'J; LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3	
Housing color:	Black	
Attachment system:	: Mounting bracket	
Display type:	4 digit 7-segment LED display	
Dimensions:	Width: 32 cm Depth: 32 cm Height: 38 cm	
Weight:	4,15 kg	
Noise classification:	Class 1 (very slight noise, suitable for noise- sensitive environments)	
Legal specifications		
Special product:	Not designed for household room illumination	

Intended use:	Show effect lighting